TIGI®

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830

SAFETY DATA SHEET

TIGI Copyright Maximum Hold Hairspray

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Product code	:	TIGI Copyright Maximum Hold Hairspray TIGI0085
Product description	:	Hair Styling Product
Product type	:	aerosol
Other means of identification	:	Not available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Consumer uses

1.3 Details of the supplier of the safety data sheet

TIGI Linea, LP 1655 Waters Ridge Dr. Lewisville, TX 75057 USA +1 469 528 4300

National contact

Not available.

1.4 Emergency telephone number

National advisory body/Poison Center

Telephone number

Not applicable in United Kingdom and Ireland

Version: 1.0

:

Supplier

Telephone number	:	+1 469 528 4300
Hours of operation	:	-
Information limitations	:	Not available.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Aerosol 1 H222 H229 Gases under Pressure – Compressed Gas H280

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Ingredients of unknown toxicity	:	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 0 %
Ingredients of unknown ecotoxicity	:	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 0 %

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

Date of issue/Date of revision: 26.06.2018

2.2 Label elements

Version: 1.0

Hazard pictograms	:	
Signal word Hazard statements	:	Danger Extremely flammable aerosol. Pressurized container: may burst if heated. Contains gases under pressure; may explode if heated.
Precautionary statements		
General	:	P102 Keep out of reach of children.
Prevention	:	P251 Do not pierce or burn, even after use.P210 Keep away from heat, sparks, open flames and hot surfaces No smoking.P211 Do not spray on an open flame or other ignition source.
Response	:	Not applicable.
Storage	:	P410+P403 Protect from sunlight. Store in well-ventilated place. P412 Do not expose to temperatures exceeding 50 °C/122 °F.
Disposal	:	Not applicable.

Date of previous issue: 00.00.0000

Supplemental label elements	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirements		
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII	:	Not applicable.
Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	Not applicable.
Other hazards which do not result in classification	:	None known.

SECTION 3: Composition/information on ingredients

Substance/mixture

: Mixture

			Classification	
Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре

Aminomethyl Propanol	RRN : 02- 2119756351-41 EC: 204-709-8 CAS : 124-68-5 Index:	>0 - <=3	Aquatic Chronic 3, H412 Skin Corr./Irrit. 2, H315 Eye Dam./Irrit. 2, H319	[1]

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

See Section 16 for the full text of the R phrases or H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.For confidentiality reasons, the levels of components listed in Section 3 are given in percentage bands. The bandings do not reflect potential variation in composition of this formulation, but are used simply to mask the exact component levels, which we consider to be proprietary information. The classification given in Section 2 and 15 reflects the exact composition of this mixture.

* exempted according to REACH Art. 2(7) and Annex V; Each starting material of the ionic mixture is registered, if required

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Version: 1.0 Date of issue/Date of revision: 26.06.2018 Date of previous issue: 00.00.0000

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	:	Adverse symptoms may include the following: irritation redness
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	:	No specific data.
Ingestion	:	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire. None known.
5.2 Special hazards arising from the	subs	tance or mixture
Hazards from the substance or mixture Hazardous thermal decomposition products	:	Extremely flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard. No specific data.
5.3 Advice for firefighters		
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Version: 1.0 Date of issue/	Date	of revision: 26.06.2018 Date of previous issue: 00.00.0000

Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece
		operated in positive pressure mode. Clothing for fire-fighters
		(including helmets, protective boots and gloves) conforming to
		European standard EN 469 will provide a basic level of protection
		for chemical incidents.
Additional information	:	Not available.

SECTION 6: Accidental release measures

Version: 1.0

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurized contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for conta	inme	ent and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

Date of issue/Date of revision: 26.06.2018

Date of previous issue: 00.00.0000

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination.

Seveso Directive - Reporting thresholds

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
P3a: Flammable aerosols containing flammable gases or	150 t	500 t
flammable liquids		
C7b: Highly flammable (R11)	5,000 t	50,000 t

7.3 Specific end use(s)

Recommendations	:	Not available.
Industrial sector specific	:	Not available.
solutions		

SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures	:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
DNEL/DMEL Summary	:	Not available.
PNEC Summary	:	Not available.
8.2 Exposure controls		
Appropriate engineering controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses
Skin protection		with side-shields.
Hand protection	:	Chemical-resistant, impervious gloves complying with an
	·	approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the

Version: 1.0 Date of issue/Date of revision: 26.06.2018 Date of previous issue: 00.00.0000

	protection time of the gloves cannot be accurately estimated. For prolonged or repeated handling, use Latex gloves.
Body protection	: Personal protective equipment for the body should be selected
	based on the task being performed and the risks involved and
	should be approved by a specialist before handling this product.,
	When there is a risk of ignition from static electricity, wear anti-
	static protective clothing., For the greatest protection from static
	discharges, clothing should include anti-static overalls, boots and
	gloves., Refer to European Standard EN 1149 for further
	information on material and design requirements and test methods.
Other skin protection	: Appropriate footwear and any additional skin protection measures
	should be selected based on the task being performed and the risks
	involved and should be approved by a specialist before handling
	this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator
	that meets the appropriate standard or certification. Respirators
	must be used according to a respiratory protection program to
	ensure proper fitting, training, and other important aspects of use.
Environmental exposure	: Emissions from ventilation or work process equipment should be
controls	checked to ensure they comply with the requirements of
	environmental protection legislation. In some cases, fume
	scrubbers, filters or engineering modifications to the process
	equipment will be necessary to reduce emissions to acceptable
	levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

-		
Form	:	liquid [aerosol]
Color	:	colourless
Odor	:	Characteristic.
Odor threshold	:	Not available.
рН	:	9.3 [Conc. (% w/w): 1,000 g/l]
Melting point/freezing point	:	Not available.
Initial boiling point and boiling	:	Not available.
range		
Flash point	:	16 °C
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Density	:	Not available
Bulk density	:	Not available
Burning time	:	Not available.
Burning rate	:	Not available.
Upper/lower flammability or	:	Lower: Not available.
explosive limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility(ies)	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
L'and Derte Gimes (D	Contration 2000 2010 Doctor

Viscosity	:	Dynamic: Not available. Kinematic: Not available.
Explosive properties	:	Not available.
Oxidizing properties	:	Not available.
9.2 Other information		
SADT	:	Not available
<u>Aerosol product</u>		
Type of aerosol	:	Spray
Heat of combustion	:	>= 30 J/kg
Ignition distance	:	61 cm
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	Avoid all possible sources of ignition (spark or flame).
10.5 Incompatible materials	:	No specific data.
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1	Rebuit	Species	2000	Laposure
Aminomethyl Propanol				
	LD50 Oral	Rat	2,900 mg/kg	-
Conclusion/Summary	: Very	low toxicity to h	umans or animals.	
Acute toxicity estimates				
Version: 1.0 Da	te of issue/Date of revision	: 26.06.2018	Date of previous issue:	00.00.0000

Route		ATE value]
Oral		5,000 milligram per kilogram	
Irritation/Corrosion			
Conclusion/Summary Skin Eyes Respiratory <u>Sensitization</u>	: :	Causes mild skin irritation. Non-irritating to the eyes. Non-irritating to the respiratory system.	
Conclusion/Summary Skin Respiratory <u>Mutagenicity</u>	:	Not sensitizing Not sensitizing	
Conclusion/Summary <u>Carcinogenicity</u>	:	Not applicable.	
Conclusion/Summary <u>Reproductive toxicity</u>	:	No additional remark.	
Conclusion/Summary <u>Teratogenicity</u>	:	Not applicable.	
Conclusion/Summary Specific target organ toxicity (singl	: e exp	Not applicable. <u>osure)</u>	
Not available. <u>Specific target organ toxicity (rependent</u> Not available.	ated	exposure)	
Aspiration hazard Not available.		Met evellebb	
Information on the likely routes of exposure	:	Not available.	
Potential acute health effects			
Eye contact Inhalation Skin contact	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.	
Version: 1.0 Date of issue/	Date o	frevision: 26.06.2018 Date of previous issue:	00.00.0000

Ingestion	:	No known significant effects or critical hazards.			
Symptoms related to the physical	, chemi	ical and toxicological characteristics			
Eye contact	:	Adverse symptoms may include the following: irritation			
Inhalation	:	redness Adverse symptoms may include the following: respiratory tract irritation coughing			
Skin contact	:	No specific data.			
Ingestion	-	No specific data.			
Delayed and immediate effects and also chronic effects from short and long term exposure					
<u>Short term exposure</u>					
Potential immediate effects	:	Not available.			
Potential delayed effects	:	Not available.			
Long term exposure					
Potential immediate effects	:	Not available.			
Potential delayed effects	:	Not available.			
Potential chronic health effects					
Conclusion/Summary	:	Very low toxicity to humans or animals.			
General	:	No known significant effects or critical hazards.			
Carcinogenicity	:	No known significant effects or critical hazards.			
Mutagenicity	:	No known significant effects or critical hazards.			
Teratogenicity	:	No known significant effects or critical hazards.			
Developmental effects	:	No known significant effects or critical hazards.			
Fertility effects	:	No known significant effects or critical hazards.			

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Expo	sure
]TIGI Copyright Maximum H	old Hairspray			
]				
Remarks - Acute - Aquatic	No known signif	icant effects or critical	hazards.	
invertebrates.:				
Conclusion/Summary	: No kr	nown significant effect	s or critical hazards.	
12.2 Persistence and degradability				
Conclusion/Summary	The s	urfactants used in this urfactant(s) contained he biodegradability cr	in this preparation co	omplies(comply)
Version: 1.0 Date of	f issue/Date of revision	u: 26.06.2018	Date of previous issue:	00.00.0000

No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Aminomethyl Propanol	-0.63	-	low

12.4 Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Mobility	:	Mixture is highly soluble

12.5 Results of PBT and vPvB assessment

РВТ	:	P: Not available. B: Not available. T: Not available.
vPvB	:	vP: Not available. vB: Not available.
12.6 Other adverse effects	:	Not available.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product		
Methods of disposal Hazardous waste	 The generation of waste should be avoided or minimized wherev possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environment protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. The classification of the product may meet the criteria for a hazardous waste. 	8
Packaging		
Methods of disposal	: The generation of waste should be avoided or minimized wherev possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.	
Version: 1.0	Date of issue/Date of revision: 26.06.2018 Date of previous issue: 00.00.0000	

Special precautions

This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

SECTION 14: Transport information

•

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	UN1950	UN1950	UN1950	UN1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS	AEROSOLS	AEROSOLS
14.3 Transport hazard class(es) 14.4 Packing	Class 2.5: Flammable aerosol. (Class 2.5F: Flammable gas.) N/A	Class 2.5: Flammable aerosol. (Class 2.5F: Flammable gas.) N/A	Class 2.1: Flammable gas. (Class 2.1: Flammable gas.)	Class 2.1: Flammable gas. (Class 2.1: Flammable gas.)
group				
14.5. Environmental hazards	No.	No.	No.	Not regulated.
Additional information	Tunnel code: (D)		Emergency schedules (EmS): F- D, S-U	

14.6 Special precautions for user

Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.'

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

:

Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Annex XIV: None of the components are listed.

Substances of very high concern: None of the components are listed.

Other EU regulations

Europe inventory:Not determined.Industrial emissions (integrated
pollution prevention
and control) - Air:Not listed

Industrial emissions (integrated pollution prevention and control) - Water	:	Not listed
Aerosol dispensers	:	Not applicable.

Seveso III Directive

Cotogowy			
Category			
P3a: Flammable	erosols containing flammable gases of	flammable liquids	
C7b: Highly fla		······································	

National regulations

Remark	:	No additional remark.
International regulations		
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals Chemical Weapons Convention List Schedule III Chemicals	:	Not listed
15.2 Chemical Safety Assessment	:	This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms	:	ATE = Acute Toxicity Estimate AISE = Association Internationale de la Savonnerie, de la Détergence et des Produits d'Entretien, International Association for Soaps, Detergents and Maintenance Products' CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative
Key literature references and sources for data	:	Evaluation method used for mixture classification: Calculation method.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification		Justification
Aerosol 1, H222 H229		On basis of test data
Full text of abbreviated H statements	:	 H222 H229 Extremely flammable aerosol. Pressurized container: may burst if heated. H315 Causes skin irritation. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
Full text of classifications [CLP/GHS]	:	Aerosol 1, H222 H229: AEROSOLS - Category 1 Skin Corr./Irrit. 2, H315: SKIN CORROSION/IRRITATION - Category 2 Eye Dam./Irrit. 2, H319: SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 Aquatic Chronic 3, H412: AQUATIC HAZARD (LONG-TERM) - Category 3
Date of printing Date of issue/ Date of revision Date of previous issue Reason Version	:	26.06.2018 26.06.2018 00.00.0000 Not applicable 1.0

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.