TIGI *Halfweet SAFETY DATA SHEET

TIGI Bed Head Headrush Shine Spray - ROW

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product name Product type Internal product code

1

- TIGI Bed Head Headrush Shine Spray ROW Hair Styling Product
- : Hair Styling : 15919-101

Relevant identified uses of the substance or mixture and uses advised against

:

Identified uses Industrial uses: Uses of substances as such or in preparations at industrial sites Consumer uses: Private households (= general public = consumers)				
			Professional uses: Public domain (admir	nistration, education, entertainment, services, craftsmen)
Supplier's details	: TIGI Linea, Corp			
	1655 Waters Ridge Dr.			
	Lewisville, TX 75057			
	USA			
Emergency telephone number (with	: Phone #: 469 528-4300 (Normal business hours)			
hours of operation)	Emergency #: 800.259.8596 (24 hours)			
	CHEMTREC #: 800-424-9300 or 703 527-3887 (24 hours, Transportation Emergencies)			

Consumer Information:

For information regarding the use of this product by a consumer, please refer directly to the product label. This industrial SDS is provided for workplace employees, per US OSHA regulations. It contains recommendations for handling of this product in an occupational, or workplace, setting.

Any first aid or warnings that are applicable to consumer use are stated directly on the product label, in accordance with all applicable government regulations.

TIGI SAFETY DATA SHEET

TIGI Bed Head Headrush Shine Spray - ROW

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] H222;H229 Aerosol 1 Full text of hazard classes and H-statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Signal word (CLP) : Danger Hazard statements (CLP) : H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 - Do not pierce or burn, even after use. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. 2.3. Other hazards Other hazards not contributing to the : Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Inhaling contents in concentrated form may produce drowsiness and upper classification respiratory discomfort. May cause transient irritation or stinging if sprayed in eyes. **SECTION 3: Composition/information on ingredients** 3.1. Substance

Not applicable

3.2. Mixture

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethyl alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	40 - 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Isobutane	(CAS No) 75-28-5 (EC no) 200-857-2 (EC index no) 601-004-00-0	20 - 30	Flam. Gas 1, H220 Liquefied gas, H280
Silsesquioxanes, phenyl	(CAS No) 70131-69-0 (EC no) 615-071-9	1 - 5	Acute Tox. 2 (Inhalation:dust,mist), H330
Propane	(CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5	1 - 5	Flam. Gas 1, H220 Liquefied gas, H280

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measur	es
First-aid measures general	: Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: When symptoms occur: go into open air and ventilate suspected area. Removeto fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.
First-aid measures after skin contact	: Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists.
First-aid measures after eye contact	: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if redness, pain, or irritation occurs.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Get medical advice and attention if youfeel unwell.
4.2. Most important symptoms and	d effects, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: May cause respiratory irritation. May displace oxygen and cause rapid suffocation. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: May cause skin irritation. Prolonged contact with propellant escaping the container may cause frostbite and freeze burns.
Symptoms/injuries after eye contact	: May cause eye irritation.
Symptoms/injuries after ingestion	: Ingestion is likely to be harmful or have adverse effects.
Chronic symptoms	: None expected under normal conditions of use.
-	nedical attention and special treatment needed
If medical advice is needed, have product of	
SECTION 5: Firefighting measu	res
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide, dry chemical, foam, water spray, fog.
Unsuitable extinguishing media	: Use of heavy stream of water may spread fire.
5.2. Special hazards arising from the	
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Container may explode in heat of fire.

: Hazardous reactions will not occur under normal conditions.

Reactivity Advice for firefighters 5.3.

Precautionary measures fire	: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. In case of fire: Evacuate

: Use water spray or fog for cooling exposed containers. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.
SECTION 6: Accidental rel	
	rotective equipment and emergencyprocedures
General measures	: Avoid contact with skin, eyes and clothing. Do not breathe vapour, gas, orspray. The propellant gas in the container is a simple asphyxiant. If the container is manipulated, punctured, or if it leaks, the gas may cause asphyxiation in confined spaces.
6.1.1. For non-emergency person	inel
Protective equipment	: Use appropriate personal protection equipment (PPE). For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	 Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.
6.2. Environmental precaution	ons
Prevent entry to sewers and public v	waters.
6.3. Methods and material for	or containment and cleaning up
For containment	: Stop leak if safe to do so. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Isolate area until gas has dispersed. Check oxygen content before enteringarea. Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage.
6.4. Reference to other section	ons
See Section 8. Exposure Controls and	d Personal Protection. See Section 13, Disposal Considerations.

See Section 8, Exposure Controls and Personal Protection. See Section 13, Disposal Considerations.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container. Aerosol dispensers and receptacles, small, containing gas (gas cartridges); asphyxiant. May displace oxygen and cause rapid suffocation. May cause drowsiness or dizziness. Do not pierce or burn, even after use.	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.	
7.2. Conditions for safe storage, i	ncluding any incompatibilities	
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Store in a dry, cool and well-ventilated place. Keep container tightly closed. Protect from freezing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Incompatible products	: Strong acids. Strong bases. Strong oxidizers. Alkaline earth metals. Powdered metals. Ammonia. Peroxides.	
7.3. Specific end use(s)		

Cosmetic Hair Care Product

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

Ethyl alcohol (64-17-5)		
Austria	MAK (mg/m³)	1900 mg/m³
Austria	MAK (ppm)	1000 ppm
Austria	MAK Short time value (mg/m ³)	3800 mg/m³
Austria	MAK Short time value (ppm)	2000 ppm

Ē

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)		
Belgium	Limit value (mg/m ³)	1907 mg/m ³
Belgium	Limit value (ppm)	1000 ppm
Bulgaria	OEL TWA (mg/m³)	1000 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	1900 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	1000 ppm
France	VLE (mg/m ³)	9500 mg/m ³
France	VLE (ppm)	5000 ppm
France	VME (mg/m ³)	1900 mg/m ³
France	VME (ppm)	1000 ppm
Germany	TRGS 900 Occupational exposure limit	960 mg/m ³ (The risk of damage to the embryo or fetus can
	value (mg/m ³)	be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	500 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Greece	OEL TWA (mg/m³)	1900 mg/m³
Greece	OEL TWA (ppm)	1000 ppm
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
Latvia	OEL TWA (mg/m³)	1000 mg/m ³
Spain	VLA-EC (mg/m ³)	1910 mg/m ³
Spain	VLA-EC (ppm)	1000 ppm
Switzerland	VLE (mg/m ³)	1920 mg/m³
Switzerland	VLE (ppm)	1000 ppm
Switzerland	VME (mg/m³)	960 mg/m³
Switzerland	VME (ppm)	500 ppm
Netherlands	Grenswaarde TGG 8H (mg/m ³)	260 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	1900 mg/m³
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	WEL STEL (mg/m ³)	5760 mg/m ³ (calculated)
United Kingdom	WEL STEL (ppm)	3000 ppm (calculated)
Czech Republic	Expoziční limity (PEL) (mg/m³)	1000 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	1900 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm
Estonia	OEL TWA (mg/m ³)	1000 mg/m ³
Estonia	OEL TWA (ppm)	500 ppm
Estonia	OEL STEL (mg/m ³)	1900 mg/m ³
Estonia	OEL STEL (ppm)	1000 ppm
Finland	HTP-arvo (8h) (mg/m ³)	1900 mg/m ³
Finland	HTP-arvo (8h) (ppm)	1000 ppm
Finland	HTP-arvo (15 min)	2500 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	1300 ppm
Hungary	AK-érték	1900 mg/m ³
Hungary	CK-érték	7600 mg/m ³
Ireland	OEL (15 min ref) (ppm)	1000 ppm
Lithuania	IPRV (mg/m ³)	1000 mg/m ³
Lithuania	IPRV (ppm)	500 ppm
Lithuania	TPRV (mg/m ³)	1900 mg/m ³

=

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl alcohol (64-17-5)		
Lithuania	TPRV (ppm)	1000 ppm
Norway	Grenseverdier (AN) (mg/m ³)	950 mg/m ³
Norway	Grenseverdier (AN) (ppm)	500 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	950 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (ppm)	500 ppm
Poland	NDS (mg/m ³)	1900 mg/m ³
Romania	OEL TWA (mg/m ³)	1900 mg/m ³
Romania	OEL TWA (ppm)	1000 ppm
Romania	OEL STEL (mg/m³)	9500 mg/m ³
Romania	OEL STEL (ppm)	5000 ppm
Slovakia	NPHV (priemerná) (mg/m³)	960 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	500 ppm
Slovakia	NPHV (Hraničná) (mg/m ³)	1920 mg/m ³
Slovenia	OEL TWA (mg/m ³)	1900 mg/m ³
Slovenia	OEL TWA (ppm)	1000 ppm
Slovenia	OEL STEL (mg/m³)	7600 mg/m ³
Slovenia	OEL STEL (ppm)	4000 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	1000 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	500 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	1900 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	1000 ppm
Portugal	OEL TWA (ppm)	1000 ppm
Portugal	OEL chemical category (PT)	A4 - Not Classifiable as a Human Carcinogen
Isobutane (75-28	3-5)	
Austria	MAK (mg/m ³)	1900 mg/m³
Austria	MAK (ppm)	800 ppm
Austria	MAK Short time value (mg/m ³)	3800 mg/m ³
Austria	MAK Short time value (ppm)	1600 ppm
Belgium	Limit value (ppm)	1000 ppm (gas)
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	2400 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	1000 ppm
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
Switzerland	VLE (mg/m ³)	7200 mg/m³
Switzerland	VLE (ppm)	3200 ppm
Switzerland	VME (mg/m³)	1900 mg/m³
Switzerland	VME (ppm)	800 ppm
Estonia	OEL TWA (mg/m³)	1900 mg/m ³
F 1 1		800 nam
Estonia	OEL TWA (ppm)	800 ppm
Finland	OEL TWA (ppm) HTP-arvo (8h) (ppm)	800 ppm
Finland	HTP-arvo (8h) (ppm)	800 ppm
Finland Finland	HTP-arvo (8h) (ppm) HTP-arvo (15 min)	800 ppm 2400 mg/m ³
Finland Finland Finland	HTP-arvo (8h) (ppm) HTP-arvo (15 min) HTP-arvo (15 min) (ppm)	800 ppm 2400 mg/m ³ 1000 ppm
Finland Finland Finland Slovenia	HTP-arvo (8h) (ppm) HTP-arvo (15 min) HTP-arvo (15 min) (ppm) OEL TWA (mg/m ³)	800 ppm 2400 mg/m ³ 1000 ppm 2400 mg/m ³

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isobutane (75-28-5) Slovenia OEL chemical category (SL) Category 1 concentration >=0.1% Butadiene, Category 2		
Slovenia	OEL chemical category (SL)	category 1 concentration >=0.1% Butadiene, Category 2 containing >= 0.1% Butadiene
Propane (74-98-	6)	
Austria	MAK (mg/m³)	1800 mg/m ³
Austria	MAK (ppm)	1000 ppm
Austria	MAK Short time value (mg/m ³)	3600 mg/m ³
Austria	MAK Short time value (ppm)	2000 ppm
Belgium	Limit value (ppm)	1000 ppm (gas)
Bulgaria	OEL TWA (mg/m³)	1800,0 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	1800 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	1000 ppm
Greece	OEL TWA (mg/m³)	1800 mg/m ³
Greece	OEL TWA (ppm)	1000 ppm
Spain	VLA-ED (ppm)	1000 ppm
Switzerland	VLE (mg/m ³)	7200 mg/m ³
Switzerland	VLE (ppm)	4000 ppm
Switzerland	VME (mg/m³)	1800 mg/m ³
Switzerland	VME (ppm)	1000 ppm
Denmark	Grænseværdie (langvarig) (mg/m ³)	1800 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm
Estonia	OEL TWA (mg/m ³)	1800 mg/m ³
Estonia	OEL TWA (ppm)	1000 ppm
Finland	HTP-arvo (8h) (mg/m ³)	1500 mg/m ³
Finland	HTP-arvo (8h) (ppm)	800 ppm
Finland	HTP-arvo (15 min)	2000 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	1100 ppm
Ireland	OEL (8 hours ref) (ppm)	1000 ppm
Ireland	OEL (15 min ref) (ppm)	3000 ppm (calculated)
Ireland	OEL chemical category (IE)	Simple asphyxiant
Norway	Grenseverdier (AN) (mg/m ³)	900 mg/m ³
Norway	Grenseverdier (AN) (ppm)	500 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m3)	900 mg/m ³
Norway	Grenseverdier (Korttidsverdi) (ppm)	500 ppm
Poland	NDS (mg/m ³)	1800 mg/m ³
Romania	OEL TWA (mg/m ³)	1400 mg/m ³
Romania	OEL TWA (ppm)	778 ppm
Romania	OEL STEL (mg/m ³)	1800 mg/m ³
Romania	OEL STEL (ppm)	1000 ppm
Slovenia	OEL TWA (mg/m ³)	1800 mg/m ³
Slovenia	OEL TWA (ppm)	1000 ppm
Slovenia	OEL STEL (mg/m ³)	7200 mg/m ³
Slovenia	OEL STEL (mg/m)	4000 ppm
Portugal	OEL TWA (ppm)	1000 ppm

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls	
Appropriate engineering controls	Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Oxygen detectors should be used when asphyxiating gases may be released.
Personal protective equipment	Gloves. Protective goggles. Protective clothing.
	Chemically resistant materials and fabrics.
-	: Wear chemically resistant protective gloves.
Eye protection Skin and body protection	 Chemical goggles or safety glasses. Wash contaminated clothing before reuse.
	: If exposure limits are exceeded or irritation is experienced, approved respiratory
	protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear a self-contained breathing apparatus (SCBA).
Other information :	: When using, do not eat, drink or smoke.
SECTION 9: Physical and chemic	al properties
9.1. Information on basic physical a	nd chemical properties
Physical state	: Liquid
Colour	: No data available
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Evaporation rate	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable
9.2. Other information	
VOC content	: < 50 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Extremely high or low temperatures. Incompatible materials. Keep away from open flames, hot surfaces and sources of ignition. Do not freeze.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers. Alkaline earth metals. Powdered metals. Ammonia. Peroxides.

Safety Data Sheet According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous decomposition products 10.6.

Thermal decomposition generates: Carbon oxides (CO, CO₂). Nitrogen oxides. Sulfur oxides. Hydrogen fluoride. Carbonyl fluoride. Fluorocarbons

Fluorocarbons.			
SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Ethyl alcohol (64-17-5)			
LD50 oral rat	10470 mg/kg		
LD50 dermal rat	20 ml/kg		
LC50 inhalation rat (Vapours - mg/l/4h)	124,7 mg/l/4h		
Silsesquioxanes, phenyl (70131-69-0)			
LC50 inhalation rat (Dust/Mist - mg/l/4h)	0,5 mg/l/4h		
Isobutane (75-28-5)			
LC50 inhalation rat (mg/l)	658 mg/l/4h		
LC50 inhalation rat (ppm)	11000 ppm		
Propane (74-98-6)			
LC50 inhalation rat (mg/l)	658 mg/l/4h		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitisation	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity : Not classified			
Reproductive toxicity : Not classified			
Specific target organ toxicity (single exposure specific target organ toxicity (repeated expo			
Specific target organ toxicity (repeated exposure) : Not classified Aspiration hazard : Not classified			
Aspiration hazard Symptoms/Injuries After Inhalation	: May cause respiratory irritation. May displace oxygen and cause rapid		
	suffocation. May cause drowsiness or dizziness.		
Symptoms/Injuries After Skin Contact	: May cause skin irritation. Prolonged contact with propellant escaping the container may cause frostbite and freeze burns.		
Symptoms/Injuries After Eye Contact	: May cause eye irritation.		
Symptoms/Injuries After Ingestion Chronic Symptoms	Ingestion is likely to be harmful or have adverse effects.None expected under normal conditions of use.		
	-		
SECTION 12: Ecological information 12.1. Toxicity			
Ethyl alcohol (64-17-5)			
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
ErC50 (algae)			
12.2. Persistence and degradability			
TIGI Shine - European Union			
Persistence and degradability	Not established.		
Ethyl alcohol (64-17-5)			
Persistence and degradability Not established.			
12.3. Bioaccumulative potential			
TIGI Shine - European Union			
Bioaccumulative potential	Not established.		
Ethyl alcohol (64-17-5)			
Log Pow	-0,32		

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ccording t					
	alcohol (64-17-5)				
Bioaccumulative potential		al No	Not established.		
	ane (75-28-5)				
BCF fish 1			1,57 - 1,97		
Log Pow		2,8	2,88 (at 20 °C)		
Propar	ne (74-98-6)				
Log Po	w	2,3	8		
12.4.	Mobility in so				
No ado	ditional informatio				
12.5.		and vPvB assessmen	t		
	ditional informatio				
12.6.	Other adverse		and and an an an and a state	1	
	information		roid release to the environm	ent.	
	-	osal consideratio	DINS		
13.1.	Waste treatm				
	disnosal recomme	ndations · Di	snose of waste material in a	ccordance with all local, r	egional national and
Waste	disposal recomme		•	,-	egional, national, and
		int	ernational regulations.		
	onal information	int : Ha	•	ue to compressed flamma	able gas. Container remains
Additic	onal information	int : Ha ha	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin	ue to compressed flamma	able gas. Container remains
Additic	onal information	int : Ha	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin N	ue to compressed flamma	able gas. Container remains
Additic SECT In acco	onal information	int Ha ha Isport informatio	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin N	ue to compressed flamma	able gas. Container remains
Additic SECT In acco ADR	onal information	int : Ha ha I sport informatio / RID / IMDG / IATA / AI	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin I n DN	ue to compressed flamma nue to observe all precaut	able gas. Container remains tions.
Additic SECT In acco ADR 14.1.	onal information TION 14: Tran ordance with ADR	int : Ha ha I sport informatio / RID / IMDG / IATA / AI	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin I n DN	ue to compressed flamma nue to observe all precaut	able gas. Container remains tions.
Additic SECT In accc ADR 14.1. 1950	onal information TION 14: Tran ordance with ADR	int : Ha ha I SPORT informatio / RID / IMDG / IATA / AI IMDG 1950	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin n DN IATA	ue to compressed flamma nue to observe all precaut ADN	able gas. Container remains tions.
Additic SECT In accc ADR 14.1. 1950 14.2.	onal information TION 14: Tran ordance with ADR UN number UN proper shi	int : Ha ha I SPORT informatio / RID / IMDG / IATA / AI IMDG 1950	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin n DN IATA	ue to compressed flamma nue to observe all precaut ADN	able gas. Container remains tions.
Additic SECT In acco ADR 14.1. 1950 14.2. AEROS	onal information TION 14: Tran ordance with ADR UN number UN proper shi	int : Ha ha sport informatio / RID / IMDG / IATA / AI IMDG 1950 pping name AEROSOLS ard class(es)	iernational regulations. Izardous waste (ignitable) du zardous when empty. Contin IN IATA 1950	ue to compressed flamma nue to observe all precaut ADN 1950	able gas. Container remains tions. RID 1950
Additic	onal information TION 14: Tran ordance with ADR UN number UN proper shi SOLS	int : Ha ha ISPORT informatio / RID / IMDG / IATA / AI IMDG 1950 pping name AEROSOLS	iernational regulations. Izardous waste (ignitable) du zardous when empty. Contin IN IATA 1950	ue to compressed flamma nue to observe all precaut ADN 1950	able gas. Container remains tions. RID 1950
Additic SECT In acco ADR 14.1. 1950 14.2. AEROS 14.3.	onal information TION 14: Tran ordance with ADR UN number UN proper shi SOLS	int : Ha ha sport informatio / RID / IMDG / IATA / AI IMDG 1950 pping name AEROSOLS ard class(es)	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin IN IATA 1950 Aerosols, flammable	ADN 1950 AEROSOLS	RID 1950 AEROSOLS
Additic SECT In acco ADR 14.1. 1950 14.2. AEROS 14.3.	onal information TION 14: Tran ordance with ADR UN number UN proper shi SOLS	int : Ha ha sport informatio / RID / IMDG / IATA / AI IMDG 1950 pping name AEROSOLS ard class(es)	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin IN IATA 1950 Aerosols, flammable	ADN 1950 AEROSOLS	RID 1950 AEROSOLS
Additic SECT In acco ADR 14.1. 1950 14.2. AEROS 14.3. 2.1	onal information ION 14: Tran ordance with ADR UN number UN proper shi GOLS Transport haz	int : Ha ha ha ha ha ha ha ha ha ha h	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin IN IATA 1950 Aerosols, flammable	ADN 1950 AEROSOLS	RID 1950 AEROSOLS
Additic SECT In acco ADR 14.1. 1950 14.2. AEROS 14.3. 2.1 2.1	Onal information TION 14: Tran Ordance with ADR UN number UN proper shi SOLS Transport haze Packing group	int : Ha ha int : Ha int : Ha int : Ha int : Ha int : Ha int : Ha : Ha	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin IN IATA 1950 Aerosols, flammable	ADN ADN 1950 AEROSOLS 2.1 2.1 2.1 2.1	AEROSOLS
Additic SECT In acco ADR 14.1. 1950 14.2. AEROS 14.3. 2.1 2.1	onal information ION 14: Tran ordance with ADR UN number UN proper shi GOLS Transport haz	int : Ha ha ha ha ha ha ha ha ha ha h	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin IN IATA 1950 Aerosols, flammable	ADN 1950 AEROSOLS	RID 1950 AEROSOLS
Additic SECT In acco ADR 14.1. 1950 14.2. AEROS 14.3. 2.1 2.1 4.3. 2.1 4.4. Not ap	Onal information TION 14: Tran Ordance with ADR UN number UN proper shi SOLS Transport haze Packing group	int : Ha ha int : Ha int : Ha int : Ha int : Ha int : Ha int : Ha int : Ha int : Ha :	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin IN IATA 1950 Aerosols, flammable	ADN ADN 1950 AEROSOLS 2.1 2.1 2.1 2.1	AEROSOLS
Additic SECT In acco ADR 14.1. 1950 14.2. AEROS 14.3. 2.1 2.1 4.4. Not ap 14.5.	Onal information	int : Ha ha int : Ha int : Ha int : Ha int : Ha int : Ha int : Ha int : Ha int : Ha :	ernational regulations. Izardous waste (ignitable) du zardous when empty. Contin IN IATA 1950 Aerosols, flammable	ADN ADN 1950 AEROSOLS 2.1 2.1 2.1 2.1	AEROSOLS
Additic SECT In acco ADR 14.1. 1950 14.2. AEROS 14.3. 2.1 44.4. Not ap 14.5. Danged	onal information ION 14: Tran ordance with ADR UN number UN proper shi GOLS Transport haz Packing group oplicable Environmenta	int : Ha ha isport informatio / RID / IMDG / IATA / AI IMDG 1950 pping name AEROSOLS ard class(es) 2.1 Not applicable I hazards	ernational regulations. izardous waste (ignitable) du zardous when empty. Contin n N IATA 1950 Aerosols, flammable 2.1 Not applicable Dangerous for the environment : No	ADN ADN 1950 AEROSOLS 2.1 Not applicable	AEROSOLS 2.1 Not applicable

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL and the IBCCode

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance	Ethyl alcohol
with Directive 1999/45/EC or are fulfilling the criteria for any of the following	
hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.a. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	TIGI Shine - Ethyl alcohol
3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Silsesquioxanes, phenyl - Ethyl alcohol
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Propane - Ethyl alcohol - Isobutane

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Ethyl alcohol (64-17-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)				
Isobutane (75-28-5)				
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)				
Propane (74-98-6)				
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)				

VOC content

: < 50 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Revision date

Data sources

: 21/01/2016

: According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Aerosol 1	Aerosol, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Liquefied gas	Gases under pressure : Liquefied gas
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated
H319	Causes serious eye irritation
H330	Fatal if inhaled

EU GHS SDS

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.