

TIGI Bed Head Maxxed Out Hairspray

PRODUCT AND COMPANY IDENTIFICATION

Product name : TIGI Bed Head Maxxed Out Hairspray

Product type: Hair Styling ProductInternal product code: BN-050814-47-12

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial uses: Uses of substances as such or in preparations at industrial sites

Consumer uses: Private households (= general public = consumers)

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Supplier's details : TIGI Linea, Corp

1655 Waters Ridge Dr. Lewisville, TX 75057

USA

Emergency telephone number (with hours of

operation)

Phone #: 469 528-4300 (Normal business hours)

Emergency #: 800.259.8596 (24 hours)

CHEMTREC #: 800-424-9300 or 703 527-3887 (24 hours, Transportation

Emergencies)

Consumer Information:

For information regarding the use of this product by a consumer, please refer directly to the product label. This industrial SDS is provided for workplace employees, per US OSHA regulations. It contains recommendations for handling of this product in an occupational, or workplace, setting.

Any first aid or warnings that are applicable to consumer use are stated directly on the product label, in accordance with all applicable government regulations.



TIGI Bed Head Maxxed Out Hairspray

2

HAZARDS IDENTIFICATION

NFPA: Health = 1, Fire = 4, Reactivity = 0 HMIS III: $H^*1/F4/PH0$





GHS Signal Word: DANGER

GHS Hazard Pictograms:







GHS Classifications:

Physical, Flammable Liquids, 2 Health, Skin corrosion/irritation, 2

Health, Skin sensitization, 1

Health, Serious Eye Damage/Eye Irritation, 1

GHS Phrases:

H225 - Highly flammable liquid and vapor

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233 - Keep container tightly closed.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P264 - Wash skin thoroughly after handling.

P302+352 - IF ON SKIN: Wash with soap and water.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P333+313 - If skin irritation or a rash occurs: Get medical advice/attention.

P337+313 - If eye irritation persists: Get medical advice/attention.



TIGI Bed Head Maxxed Out Hairspray

P370+378 - In case of fire: Use water spray, dry chemical, carbon dioxides or alcohol-resistant foam for extinction.

P403+233 - Store in a well ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

3

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

4 FIRST AID MEASURES

Inhalation: Generally this product does not present an inhalation hazard. If symptoms develop, move victim to fresh

air. Give oxygen or artificial respiration if needed. If symptoms persist, obtain medical attention.

Flush skin with water for at least 15 minutes to ensure all chemical is removed. If large amounts are

Skin Contact: spilled on clothing, immediately remove contaminated clothing and wash before reuse. Consult a physician

if irritation persists or a rash occurs.

Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove

Eye Contact: contact lenses is present and easy to do so. If irritation persists, obtain medical attention.

Rinse mouth with water. Give 3-4 glasses of water or milk to dilute stomach contents. Do NOT induce

Ingestion: vomiting unless instructed to do so. Never give anything by mouth to an unconscious person. If significant

amounts are swallowed or irritation or discomfort occurs, seek immediate medical attention.

Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

Indication of any immediate medical attention and special treatment needed:

No data available.

5 FIRE FIGHTING MEASURES

Flammability: Flammable Liquid Class IB

Flash Point:

Flash Point Method:

Burning Rate:

Autoignition Temp:

LEL:

Vot determined

Not determined

Not determined

Extinguishing Media:

Water Spray Carbon Dioxide Alcohol-Resistant Foam



TIGI Bed Head Maxxed Out Hairspray

Dry Chemical

Special Hazards Arising From the Substance or Mixture:

Calcium Oxides Carbon Oxides Nitrogen Oxides (NOx) Sodium Oxides

Advice for Firefighters:

Firefighters should wear full-face, positive-pressure respirators.

Further Information:

If incinerated, may release toxic fumes.

Use water spray to cool unopened containers.

Do NOT use high volume water jet to extinguish fire, as the force of the water jet may cause fire to spread.

Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

See Section 7 for more information on safe handling.

See Section 8 for more information on personal protection equipment.

See Section 13 for disposal information.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment as required.

Keep from contacting eyes and skin.

Avoid breathing vapors, mist or gas.

Ensure adequate ventilation.

Remove all sources of ignition.

If any equipment is necessary, ensure that it is non-sparking and electrically-protected.

Environmental Precautions:

Prevent further release (leakage/spillage) if safe to do so.

Do not allow product to enter drains.

Do not allow to drain to environment.

Methods and Materials for Containments and Cleaning Up:

Ensure adequate ventilation.

Contain spillage and absorb with liquid-binding material (sand, diatomite, universal binders, vermiculite) and placed in container for disposal.

Collected waste should then be placed in container for disposal.

Dispose of contaminated material according to Section 13.

Reference to Other Sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on proper disposal.

HANDLING AND STORAGE

7



TIGI Bed Head Maxxed Out Hairspray

Avoid breathing vapors or mist. Avoid contact with eyes and skin.

Keep containers closed when not in use.

Do not expose containers to open flame, excessive heat, or direct sunlight.

Keep away from sources of ignition. Do not smoke while using material.

Take measures to prevent the buildup of electrosatic charge.

Storage Requirements: Do not puncture or drop containers.

Handle with care and avoid spillage on the floor (slippage).

Keep material out of reach of children.

Keep material away from incompatible materials.

Wash thoroughly after handling.

Keep container tightly closed. Long-standing contact with air may oxidize and degrade

material, evident by formation of surface films.

Store in a well-ventilated place.

Do not store at temperatures greater than 48.89 °C (120.00 °F)

Do not store in direct sunlight.

Store away from strong acids, strong oxidizing agents, Alkali metals, Halogens, vinyl chloride

and iodine pentafluoride.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use

local exhaust at filling zones and where leakage and dust formation is probable. Use

mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to

keep Exposure Limits in Air below TLV & PEL limits.

Personal Protective Equip: Eye/face protection:

When using material use safety glasses and gloves according to HMIS PP, B. All safety

equipment should be tested and approved under appropriate government standards such as

NIOSH (US) or EN 166 (EU).

Skin protection:

Handle with gloves made from Neoprene, Nitrile or Buma rubber. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to applicable laws and

laboratory practices.

Body Protection:

Chemically resistant safety glasses and gloves are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this

material.

Respiratory protection:

Not required. Full-face vapor respirator may be required as backup to engineering controls when proper engineering controls are not in place to keep TLV and PEL limits below defined

thresholds. Respiratory protection must comply with 29 CFR 1910.134.

Control of environmental exposure:

Prevent leakage or spillage if safe to do so. Do not let material enter drains.

Components with workplace control parameters:

Component: Ethanol



TIGI Bed Head Maxxed Out Hairspray

CAS No: 64-17-5

USA ACGIH (TWA/TLV): 1,000 ppm USA ACGIH (STEL/TLV): 1,000 ppm

USA OSHA Table Z-1 Limits for Air Contaminants - 1910.1000: 1,000 ppm

USA OSHA Occupational Exposure Limits Table Z-1 Limits for Air Contaminants: 1,000 ppm

USA NIOSH Recommended Exposure Limits: 1,000 ppm

Component: d-Limonene CAS No: 5989-27-5

USA ACGIH (TWA/TLV): 20 ppm

Biological occupational exposure limits:

Contains no components with biological occupational exposure limits.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Hazy, Water-Thin Liquid

Physical State: Liquid Odor: Lightly Fragranced

Odor Threshold: Not determined Molecular Formula: MIXTURE
Particle Size: Not determined Solubility: Soluble

Spec Grav./Density: 0.870 - 0.930 g/ml (7.26 - 7.76 lbs/gal) **Softening Point:** Not determined

Viscosity:Not determinedPercent Volatile:55.5%Sat. Vap. Conc.:Not determinedHeat Value:Not determined

Boiling Point: Not determined Freezing/Melting Pt.: Not determined

Flammability: (solid, gas): Flammable Liquid Class IB Flash Point: 19.89 °C (67.8 °F)

Partition Coefficient:Not determinedOctanol:Not determinedVapor Pressure:(mm Hg @ 20 °C):Not determinedVapor Density:(air = 1): > 1.00

pH: @ 100%: 7.5 - 8.5 **VOC:** 0 g/l

Evap. Rate: (N-Butyl Acetate = 1): > 1.00

Molecular weight: MIXTURE
Decomp Temp: Not determined

Vision 10078. 7.5 - 6.5

Bulk Density: Not determined
Auto-Ignition Temp: Not determined
Vision 10078. 7.5 - 6.5

Bulk Density: Not determined
Not determined

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions. **Conditions to Avoid:** Incompatibilities, flames, ignition sources.

Materials to Avoid: Strong acids, strong oxidizing agents, Alkali metals, Halogens, vinyl chloride and iodine

pentafluoride.

Hazardous Decomposition: Calcium Oxides, Carbon Oxides, Nitrogen Oxides (NOx) and Sodium Oxides.

Hazardous Polymerization: Will not occur.

TOXICOLOGICAL INFORMATION

Component(s): Ethanol; d-Limonene CAS No(s): 64-17-5; 5989-27-5

11



TIGI Bed Head Maxxed Out Hairspray

Acute Toxicity:

LD50 Oral - Rat: 4,400 mg/kg

LD50 Dermal - Rabbit: > 5,000 mg/kg LC50 Inhalation - Rat: 30,000 mg/l (4 h)

Skin Corrosion/Irritation: No data available.

Serious Eye Damage/Eye Irritation: Rabbit eyes - Moderate eye irritation.

Respiratory or Skin Sensitation: Mouse skin - May cause sensitation by skin contact.

Germ Cell Mutagenicity: No data available.

Carcinogenicity:

Oral - Mouse (Ethanol); Equivocal tumorigenic agent by RTECS criteria: Liver tumors, blood lymphomas including Hodgkin's disease

Oral - Rat (d-Limonene); Carginogenic by RTECS criteria: Kidney, ureter, bladder; Tumorigenic effects - Kidney, testicular

tumors

Page 7 of 9

Oral - Mouse (d-Limonene); Equivocal Tumorigenic agent by RTECS criteria: Gastrointestinal tumors

This product is or contains a component that is not classifiable as to its carcinogenicity (d-Limonene) based on their IARC, ACGIH, NTP, or OSHA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (d-Limonene).

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive Toxicity:

Oral - Female Human (Ethanol); Effects on Newborn: Apgar score, other neonatal measuresor effectsl drug dependence

Specific Target Organ Toxicity - Single Exposure: No data available.

Specific Target Organ Toxicity - Repeated Exposure: No data available.

Aspiration Hazard: No data available.

Additional Information:

12

Component: Ethanol; RTECS: KQ6300000 Component: d-Limonene; RTECS: GW6360000

ECOLOGICAL INFORMATION

Component(s): Ethanol; d-Limonene CAS No(s): 64-17-5; 5989-27-5



TIGI Bed Head Maxxed Out Hairspray

Toxicity:

Toxicity to fish:

LC50 - Pimephales promelas (Fathead Minnow): 14,200 mg/l (96 h)

Toxicity to daphnia and other aquatic invertebrates:

EC50 - Ceriodaphnia dubia (Water Flea): 5,012 mg/l (48 h) NOEC - Daphnia magna (Water Flea): 9.6 mg/l (9 d)

Toxicity to bacteria:

EC50 - Chlorella vulgaris (Fresh Water Algae): 275 mg/l (72 h)

Persistence and Degradability:

Readily biodegradable.

Bioaccumulative potential:

No expected to bioaccumulate.

Mobility in Soil:

No data available.

Results of PBT and vPvB assessment:

Page 8 of 9

Not required/conducted.

Other Adverse Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13 DISPOSAL CONSIDERATIONS

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.

TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3

UN #: UN 1170, Class: 3, Proper Shipping Name: Ethyl alcohol solution

DOT (US)

ORM-D Consumer Commodity

IMDG

14

UN Number: 1170

Class: 3

Packing Group: II EMS-No: F-E, S-D

Proper Shipping Name: Ethyl alcohol solution



TIGI Bed Head Maxxed Out Hairspray

Marine Pollutant: No.

IATA (Domestic)

ORM-D Consumer Commodity

IATA (Export)

UN Number: 1170

Class: 3

Packing Group: II ERG #: 126

Proper Shipping Name: Ethyl alcohol solution

Marine Pollutant: No



15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Ethanol (64175 <55%) MASS, NJHS, OSHAWAC, PA, SARA311/312, TSCA, TXAIR

*d-Limonene (5989275 < 0.5%) NJHS, PA, SARA311/312, TSCA

REGULATORY KEY DESCRIPTIONS

MASS = Massachusetts Hazardous Substances List
NJHS - New Jersey Right to Know Hazardous Substances
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
SARA311/312 = SARA 311/312 Toxic Chemicals
TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

16

OTHER INFORMATION

Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that TIGI Linea, LP believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of TIGI Linea, LP's control, TIGI Linea, LP makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.