

**STYLORS** INC.

MATERIAL SAFETY DATA SHEETS

640 WEST 41ST STREET • JACKSONVILLE, FLORIDA 32206

DATE: _____

EMERGENCY TELEPHONE NUMBER: (904) 765-4453

SECTION 1: MATERIAL IDENTIFICATION - *Platinum*THIO FREE PERMANENT WAVE
FORMULA I, II & III

SECTION 2: INGREDIENTS AND HAZARDS

HAZARD DATA

PRINCIPAL HAZARDOUS COMPONENTS
CHEMICAL AND COMMON NAME:AMMONIUM HYDROXIDE
(CASE#1336-21-6)

CYSTEAMINE HYDRICHLORIDE

CORROSIVE

EYE/SKIN

SECTION 3: PHYSICAL AND CHEMICAL CHARACTERISTICS (Fire & Explosion Data)

APPEARANCE/ODOR:

CLEAR TO SLIGHTLY HAZY LIQUID/FRAGRANCED

FLASH POINT AND METHOD

AUTOIGNITION TEMP.

FLAMMABILITY LIMITS
IN AIR

N/A

N/A

N/A

EXTINGUISHING MEDIA: Use method suitable for adjacent materials; ABC
All Purpose extinguisher, CO₂ or dry chemical.SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus
operated in the positive pressure mode.

**STYLORS** INC.

MATERIAL SAFETY DATA SHEETS

640 WEST 41ST STREET • JACKSONVILLE, FLORIDA 32206

DATE: _____

EMERGENCY TELEPHONE NUMBER: (904) 765-4453

SECTION 1: MATERIAL IDENTIFICATION - *Platinum, Gold*

BROMATE NEUTRALIZER

SECTION 2: INGREDIENTS AND HAZARDS

HAZARD DATA

PRINCIPAL HAZARDOUS COMPONENTS
CHEMICAL AND COMMON NAME:SODIUM BROMATE
(CAS # 7789-38-0)

N/A

SECTION 3: PHYSICAL AND CHEMICAL CHARACTERISTICS (Fire & Explosion Data)

APPEARANCE/ODOR:

THIN LIQUID, CITRUS FRAGRANCE

FLASH POINT AND METHOD

AUTOIGNITION TEMP.

FLAMMABILITY LIMITS
IN AIR

N/A

N/A

N/A

EXTINGUISHING MEDIA: Use method suitable for adjacent materials; ABC
All Purpose extinguisher, CO₂ or dry chemical.SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus
operated in the positive pressure mode.

SECTION 4: PHYSICAL HAZARDSSTABILITY: UNSTABLE _____ STABLE XCONDITIONS TO AVOID: STRONG OXIDIZING AGENTS, HIGH TEMPERATURES,
CONTACT WITH METALS.INCOMPATIBILITY (Material to avoid): OXIDIZING AGENTSHAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF NITROGEN AND SULFUR, CO₂ & COHAZARDOUS POLYMERIZATION: MAY OCCUR _____ WILL NOT OCCUR XCONDITIONS TO AVOID: N/A**SECTION 5: HEALTH HAZARDS**EFFECTS OF OVEREXPOSURE: Skin irritation, possible allergic reaction.
Eye irritation, possible burns.FIRST AID: 1. INHALATION: Remove subject from area or increase
ventilation.
2. EYES: Wash with lukewarm water for at least 15 minutes
Call physician.
3. SKIN: Wash with soap and water. If allergic reaction
develops, consult a physician.
4. INGESTION: If swallowed, do not induce vomiting. Get
medical attention immediately.**SECTION 6: SPECIAL PROTECTION INFORMATION**RESPIRATORY PROTECTION: Respirator not required under normal use.VENTILATION: Adequate local ventilation. PROTECTIVE GLOVES: YesEYE PROTECTION: Avoid contact with eyes. None when used as directed.STORAGE AND HANDLING INFORMATION: Exercise caution in storage and handling
of all chemical substances. Store at
normal temperature. Keep away from ig-
nitition sources and combustible material.**SECTION 7: SPILL, LEAK AND DISPOSAL PROCEDURES**SPILLS AND LEAKS: Flush area with water. Wash with detergent and water or
absorb with suitable absorbent such as oil-dry or clay.DISPOSAL: Disposal should be in accordance with all applicable Local, State,
and Federal regulations.NOTICE: **THE INFORMATION PRESENTATED HEREIN IS BASED ON DATA AND TESTS
CONSIDERED TO BE ACCURATE, HOWEVER, NO WARRENTY, EXPRESSLY
IMPLIED, IS MADE AS TO THE ACCURACY OR SUITABILITY OF SUCH
INFORMATION FOR APPLICATION TO PURCHASERS.**

**STYLORS** INC.

MATERIAL SAFETY DATA SHEETS

640 WEST 41ST STREET • JACKSONVILLE, FLORIDA 32206

DATE: _____

EMERGENCY TELEPHONE NUMBER: **(904) 765-4453**SECTION 1: MATERIAL IDENTIFICATION *-Silver*

Buffered Alkaline Waving Lotion

SECTION 2: INGREDIENTS AND HAZARDS

HAZARD DATA

PRINCIPAL HAZARDOUS COMPONENTS
CHEMICAL AND COMMON NAME:Ammonium Thioglycolate
(CAS# 5421-46-5)

N/A

Diammonium Dithioglycolate
(CAS# 68223-93-8)

N/A

Ammonia
(CAS# 7664-41-7)

N/A

SECTION 3: PHYSICAL AND CHEMICAL CHARACTERISTICS (Fire & Explosion Data)

APPEARANCE/ODOR: Thin liquid with ammonia/sulfur odor

FLASH POINT AND METHOD

AUTOIGNITION TEMP.

FLAMMABILITY LIMITS
IN AIR

N/A

N/A

N/A

EXTINGUISHING MEDIA: Use method suitable for adjacent materials; ABC
All Purpose extinguisher, CO₂ or dry chemical.SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus
operated in the positive pressure mode.

SECTION 4: PHYSICAL HAZARDS

STABILITY: UNSTABLE _____ STABLE xxCONDITIONS TO AVOID: HIGH TEMPERATURESINCOMPATIBILITY (Material to avoid): REDUCING AGENTSHAZARDOUS DECOMPOSITION PRODUCTS: BROMINE, BROMINE COMPOUNDSHAZARDOUS POLYMERIZATION: MAY OCCUR _____ WILL NOT OCCUR xx
CONDITIONS TO AVOID: N/A

SECTION 5: HEALTH HAZARDS

EFFECTS OF OVEREXPOSURE: Skin irritation, possible allergic reaction.
Eye irritaion, possible burns.

- FIRST AID:
-
1. INHALATION: Remove subject from area or increase ventilation.
 2. EYES: Wash with lukewarm water for at least 15 minutes
Call physician.
 3. SKIN: Wash with soap and water. If allergic reaction
devlopes, consult a physician.
 4. INGESTION: If swallowed, do not induce vomiting. Get
medical attention immediately.

SECTION 6: SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Respirator not required under normal use.VENTILATION: Adequate local ventilation. PROTECTIVE GLOVES: YesEYE PROTECTION: Avoid contact with eyes. None when used as directed.STORAGE AND HANDLING INFORMATION: Exercise caution in storage and handling
of all chemical substances. Store at
normal temperature. Keep away from ig-
nition sources and combustible material.

SECTION 7: SPILL, LEAK AND DISPOSAL PROCEDURES

SPILLS AND LEAKS: Flush area with water. Wash with detergent and water or
absorb with suitable absorbent such as oil-dry or clay.DISPOSAL: Disposal should be in accordance with all applicable Local,
State, and Federal regulations.NOTICE: THE INFORMATION PRESENTATED HEREIN IS BASED ON DATA AND TESTS
CONSIDERED TO BE ACCURATE, HOWEVER, NO WARRENTY, EXPRESSLY
IMPLIED, IS MADE AS TO THE ACCURACY OR SUITABILITY OF SUCH
INFORMATION FOR APPLICATION TO PURCHASERS.

**STYLORS** INC.

MATERIAL SAFETY DATA SHEETS

640 WEST 41ST STREET • JACKSONVILLE, FLORIDA 32206

DATE: _____

EMERGENCY TELEPHONE NUMBER: (904) 765-4453SECTION 1: MATERIAL IDENTIFICATION - *Silver*

PEROXIDE NEUTRALIZER

SECTION 2: INGREDIENTS AND HAZARDS

HAZARD DATA

PRINCIPAL HAZARDOUS COMPONENTS
CHEMICAL AND COMMON NAME:Hydrogen Peroxide
(CAS# 7722-84-1)

N/A

N/A

SECTION 3: PHYSICAL AND CHEMICAL CHARACTERISTICS (Fire & Explosion Data)

APPEARANCE/ODOR:

Thin liquid, fruity fragrance

FLASH POINT AND METHOD

AUTOIGNITION TEMP.

FLAMMABILITY LIMITS
IN AIR

N/A

N/A

N/A

EXTINGUISHING MEDIA: Use method suitable for adjacent materials; ABC
All Purpose extinguisher, CO₂ or dry chemical.SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus
operated in the positive pressure mode.

SECTION 4: PHYSICAL HAZARDS

STABILITY: UNSTABLE _____ STABLE X _____CONDITIONS TO AVOID: High temperaturesINCOMPATIBILITY (Material to avoid): Oxidizing agentsHAZARDOUS DECOMPOSITION PRODUCTS: Ammonia, hydrogen, sulfide, oxides of sulfide.HAZARDOUS POLYMERIZATION: MAY OCCUR _____ WILL NOT OCCUR X _____CONDITIONS TO AVOID: N/A

SECTION 5: HEALTH HAZARDS

EFFECTS OF OVEREXPOSURE: Skin irritation, possible allergic reaction.
Eye irritaion, possible burns.

- FIRST AID:
1. INHALATION: Remove subject from area or increase ventilation.
 2. EYES: Wash with lukewarm water for at least 15 minutes
Call physician.
 3. SKIN: Wash with soap and water. If allergic reaction
devlopes, consult a physician.
 4. INGESTION: If swallowed, do not induce vomiting. Get
medical attention immediately.

SECTION 6: SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Respirator not required under normal use.VENTILATION: Adequate local ventilation. PROTECTIVE GLOVES: YesEYE PROTECTION: Avoid contact with eyes. None when used as directed.STORAGE AND HANDLING INFORMATION: Exercise caution in storage and handling
of all chemical substances. Store at
normal temperature. Keep away from ig-
niton sources and combustible material.

SECTION 7: SPILL, LEAK AND DISPOSAL PROCEDURES

SPILLS AND LEAKS: Flush area with water. Wash with detergent and water or
absorb with suitable absorbent such as oil-dry or clay.DISPOSAL: Disposal should be in accordance with all applicable Local,
State, and Federal regulations.

NOTICE: THE INFORMATION PRESENTATED HEREIN IS BASED ON DATA AND TESTS
CONSIDERED TO BE ACCURATE, HOWEVER, NO WARRENTY, EXPRESSLY
IMPLIED, IS MADE AS TO THE ACCURACY OR SUITABILITY OF SUCH
INFORMATION FOR APPLICATION TO PURCHASERS.

MATERIAL SAFETY DATA SHEET

**STYLORS** INC.

EMERGENCY PHONE NUMBER: 904-765-4453

640 WEST 41ST STREET • JACKSONVILLE, FLORIDA 32206

SECTION 1: MATERIAL IDENTIFICATION - *Gold*

NO HEAT ACID WAVING LOTION (Repondre 20)

SECTION 2: INGREDIENTS AND HAZARDS

ACGIH
TLV/TWA

HAZARD DATA

DIAMMONIUM DITHIOGLYCOLATE
CAS# (68223-93-8)AMMONIA
CAS# (7664-41-7)GLYCERAL MONOTHIOGLYCOLATE
CAS# (30618-84-9)

SECTION 3: PHYSICAL AND CHEMICAL CHARACTERISTICS (Fire & Explosion Data)

APPEARANCE/ODOR: THIN LIQUID WITH SULFUR/AMMONIA ODOR

FLASH POINT AND METHOD

AUTOIGNITION TEMP.

FLAMMABILITY LIMITS IN AIR

N/A

N/A

N/A

EXTINGUISHING MEDIA:

USE METHOD SUITABLE FOR ADJACENT MATERIALS: ABC
ALL PURPOSE EXTINGUISHER, CO₂ OR DRY CHEMICAL.

SPECIAL FIRE FIGHTING PROCEDURES:

SELF-CONTAINED BREATHING APPARATUS
OPERATED IN THE POSITIVE PRESSURE MODE.

SECTION 4: PHYSICAL HAZARDS

STABILITY : UNSTABLE _____ STABLE X

CONDITIONS TO AVOID: HIGH TEMPERATURES

IMCOMBABILITY (Material to avoid): OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS: SMALL AMOUNTS OF AMMONIA, HYDROGEN SULFIDE
OXIDES OF SULFURHAZARDOUS POLYMERIZATION: MAY OCCUR _____ WILL NOT OCCUR X

CONDITIONS TO AVOID: N/A

SECTION 5: HEALTH HAZARDS

EFFECTS OF OVEREXPOSURE: SKIN IRRITATION, POSSIBLE ALLERGIC REACTION.
EYE IRRITATION, POSSIBLE BURNS.

FIRST AID:

1. Inhalation: REMOVE SUBJECT FROM AREA OR INCREASE VENTILATION.
2. EYES: WASH WITH LUKEWARM WATER FOR AT LEAST 15 MINUTES. CALL PHYSICIAN
3. SKIN: WASH WITH SOAP & WATER, IF ALLERGIC REACTION DEVELOPS, CALL PHYSICIAN
4. INGESTION: IF SWALLOWED, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

SECTION 6: SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: RESPIRATOR NOT REQUIRED UNDER NORMAL USE.

VENTILATION: ADEQUATE LOCAL VENTILATION

PROTECTIVE GLOVES: YES _____ EYE PROTECTION: AVOID CONTACT WITH EYES.

STORAGE AND HANDLING INFORMATION: NONE WHEN USED AS DIRECTED.

EXERCISE CAUTION IN STORAGE & HANDLING
OF ALL CHEMICAL SUBSTANCES. STORE AT NORMAL TEMPERATURE. KEEP AWAY FROM
IGNITION SOURCES AND COMBUSTIBLE MATERIAL.

SECTION 7: SPILL, LEAK AND DISPOSAL PROCEDURES

SPILLS AND LEAKS: FLUSH AREA WITH WATER. WASH WITH DETERGENT AND WATER OR
ABSORB WITH SUITABLE ABSORBENT SUCH AS OIL-DRY OR CLAY.DISPOSAL: DISPOSAL SHOULD BE IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE
AND FEDERAL REGULATIONS.NOTICE: THE INFORMATION PRESENTED HEREIN IS BASED ON DATA AND TESTS
CONSIDERED TO BE ACCURATE, HOWEVER, NO WARRANTY, EXPRESSLY
IMPLIED, IS MADE AS TO THE ACCURACY OR SUITABILITY OF SUCH
INFORMATION FOR APPLICATION TO PURCHASERS.

SECTION 4: PHYSICAL HAZARDSSTABILITY: UNSTABLE _____ STABLE XCONDITIONS TO AVOID: High TemperaturesINCOMPATIBILITY (Material to avoid): Reducing agentsHAZARDOUS DECOMPOSITION PRODUCTS: CO₂, COHAZARDOUS POLYMERIZATION: MAY OCCUR _____ WILL NOT OCCUR XCONDITIONS TO AVOID: N/A**SECTION 5: HEALTH HAZARDS**EFFECTS OF OVEREXPOSURE: Skin irritation, possible allergic reaction.
Eye irritaion, possible burns.

- FIRST AID:
1. INHALATION: Remove subject from area or increase ventilation.
 2. EYES: Wash with lukewarm water for at least 15 minutes
Call physician.
 3. SKIN: Wash with soap and water. If allergic reaction
devlopes, consult a physician.
 4. INGESTION: If swallowed, do not induce vomiting. Get
medical attention immediately.

SECTION 6: SPECIAL PROTECTION INFORMATIONRESPIRATORY PROTECTION: Respirator not required under normal use.VENTILATION: Adequate local ventilation. PROTECTIVE GLOVES: YesEYE PROTECTION: Avoid contact with eyes. None when used as directed.STORAGE AND HANDLING INFORMATION: Exercise caution in storage and handling
of all chemical substances. Store at
normal temperature. Keep away from ig-
niton sources and combustibile material.**SECTION 7: SPILL, LEAK AND DISPOSAL PROCEDURES**SPILLS AND LEAKS: Flush area with water. Wash with detergent and water or
absorb with suitable absorbent such as oil-dry or clay.DISPOSAL: Disposal should be in accordance with all applicable local, state,
State, and Federal regulations.

NOTICE: THE INFORMATION PRESENTATED HEREIN IS BASED ON DATA AND TESTS
CONSIDERED TO BE ACCURATE, HOWEVER, NO WARRENTY, EXPRESSLY
IMPLIED, IS MADE AS TO THE ACCURACY OR SUITABILITY OF SUCH
INFORMATION FOR APPLICATION TO PURCHASERS.