

Page 1 of 6 **WS-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/9/2015 1. PRODUCT & COMPANY IDENTIFICATION Product Name: 1.1 WHITE SANDS FIRM MOUSSE 1.2 Chemical Name: Aerosol 1.3 Synonyms: NA 1.4 Trade Names: White Sands Firm Mousse 1.5 Product Uses & Restrictions: Cosmetic Use Only Distributor's Name: 1.6 White Sands Hair Care, Inc. Distributor's Address: 1.7 27631 La Paz Rd. Ste G, Laguna, CA 92677 USA 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 1.9 Business Phone / Fax: +1 (949) 206-1300 / +1 (949) 206-1313 2. HAZARDS IDENTIFICATION Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS 2.1 according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). PRESSURIZED CONTAINER: MAY BURST IF HEATED. WARNING! CAUSES EYE IRRITATION. Classification: Aerosol 3; Eye Irrit. 2 Hazard Statements (H): H229 - Pressurized container: May burst if heated. H320 - Causes eye Precautionary Statements (P): P261 - Avoid breathing vapor. P264 - Wash thoroughly after handling. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC **OSHA** ppm ppm ppm ES-ES-ES-STEL STEL CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV PEL IDLH OTHER STEL PEAK **TWA** 7732-18-5 NA 231-791-2 NA NA NA NF NF NF NA NA NA WATER (AQUA/EAU) TZ4300000 200-857-2 NA 600 750 NF NF NF NA NA NA 75-28-5 **ISOBUTANE** Press. Gas, Flam. Gas 1; H229, H220 53633-54-8 NA NA NA NA NA NF NF NF NA NA NA POLYQUATERNIUM-11 75-37-6 KI4100000 200-866-1 NA 1000 NA 1000 NF NF NA NA NA DIFLUOROETHANE (R-152a) Flam. Gas 1; H220 NA NA NA NA NA NF NF NF NA NA NA **PVPNA COPOLYMER** 70084-87-6 NA NA NA NA NA NF NF NF NA NA NA HYDROLYZED WHEAT PROTEIN NA 203-928-6 NA NA NA NF NF NF NA NA 112-02-7 NA CENTRIMONIUM CHLORIDE NA NA NA NA NA NF NF NF NA NA NA NA PEG/PPG-25/25 DIMETHICONE TY2000000 57-55-6 200-338-0 NA NA NA 150 474 NF NA NA NA PROPYLENE GLYCOL NA 78491-02-8 NA 278-928-2 NA NA NF NF NF NA NA NA DIAZOLIDINYL UREA 55406-53-6 Na 259-627-5 NA NA NA NF NF NF NA NA NA IODOPROPYNYI **BUTYL-CARBAMATE**



Page 2 of 6 **WS-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/9/2015 4. FIRST AID MEASURES First Aid: 4.1 If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician. If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough Skin: washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Inhalation: Remove victim to fresh air at once. Effects of Exposure: 4.2 Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in Skin: some sensitive individuals. None expected. Inhalation: 4.3 Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Acute Health Effects: 44 Moderate irritation to eyes. 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. Propylene Glycol contained in very small quantities in this product may be mild allergens to some sensitive individuals. 4.6 Target Organs: 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 0 **PHYSICAL HAZARDS** 0 PROTECTIVE EQUIPMENT В EYES SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: PRESSURIZED CONTAINER MAY BURST IF HEATED. Level 1 Aerosol (NFPA 30B). Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids or/or exposed gases if exposed to the heat of fire. Keep containers cool by spraying them with water until the fire has been extinguished. Keep away from heat, lit cigarettes, sparks & open flame. Keep container closed. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO₂) and nitrogen (e.g., NO_x) and smoke. Extinguishing Methods: 5.2 Water, Foam, CO₂, Dry Chemical, Halon (if permitted) As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-5.3 Firefighting Procedures: demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective 6.1 Spills: Equipment (PPE). For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.



Page 3 of 6 **WS-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/9/2015 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: 7.1 Do not eat, drink, or smoke while handling this product. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 7.3 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: ACGIH NOHSC OTHER 8.1 ppm (mg/m³) ES-STEL CHEMICAL NAME(S) STEL ES-TWA ES-PEAK STEL IDLH **ISOBUTANE** 600 750 NF NF NF NΑ NA NA DIFLUOROETHANE (R-152a) 1000 NA 1000 NF NF NA NA NA PROPYLENE GLYCOL NA NA 150 474 NF NA NA NA 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls: exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes No special respiratory protection is required under typical circumstances of use or handling. If 8.3 Respiratory Protection: necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Avoid eye contact. Protective eyewear recommended. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard: soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Aerosol, white liquid 9.1 9.2 Odor Mild to no odor 93 Odor Threshold: NA 9.4 NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA Range 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability LEL: 5.1% / UEL: 17.1% (R-152A) Limits: 99 Vapor Pressure: NA 9 10 Vapor Density: NA 9.11 Relative Density: NA 9.12 Solubility in Water: Soluble 9.13 Partition Coefficient (log Pow): NA 9.14 **Autoignition Temperature** NA 9.15 Decomposition Temperature: NA 9.16 Viscosity NΑ Other Information: 9.17 NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂) and sulfur (SO₂). Products: Hazardous Polymerization: 10.3 Will not occur. 10.4 Conditions to Avoid: Open flames, sparks and high heat. 10.5 Incompatible Substances: None known.



Page 4 of 6 **WS-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/9/2015 **TOXICOLOGICAL INFORMATION** Absorption: YES Routes of Entry: 11.1 Ingestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product. 11.3 Acute Toxicity See section 4.4 Chronic Toxicity: 11 4 See section 4.5 Suspected Carcinogen: 11.5 No. 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3. Biological Exposure Indices: 11.8 NE 11.9 Physician Recommendations Treat symptomatically. 12. ECOLOGICAL INFORMATION 12 1 Environmental Stability: There is no specific data available for this product. 122 Effects on Plants & Animals There is no specific data available for this product. 12.3 Effects on Aquatic Life: There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations 13.2 Special Considerations: U.S. EPA Waste Number: D001 (characteristic - ignitable). 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) - until 12/31/20 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) 14.2 IATA (AIR): ID8000. CONSUMER COMMODITY. 9 (IP VOL ≤ 500 mL) **₩** UN1950, AEROSOLS, NONFLAMMABLE, 2.2 (LTD QTY, IP VOL ≤ 500 mL) IMDG (OCN): 14.3 UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) 14 4 TDGR (Canadian GND): UN1950, AEROSOLS, 2.2 (LTD QTY, IP VOL ≤ 1000 mL) or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITÉ LIMITÉE" ADR/RID (EU): UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) 14.6 SCT (MEXICO): UN1950, AEROSOLES, 2.1 (CANT. LTDA., IP VOL ≤ 1.0 L) 14.7 ADGR (AUS): UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory 15.4 CERCLA Reportable Quantity (RQ): 15.5 Other Federal Requirements This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS B5, D2B (Aerosol, Other Toxic Effects)



Page 5 of 6 **WS-004**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/9/2015 15. REGULATORY INFORMATION – cont'd 15.7 State Regulatory Information: Isobutane is found on the following state criteria list: Massachusetts Hazardous Substances List (MA), New Jersey Rightto-Know List (NJ) and Pennsylvania Right-to-Know List (PA). <u>Difluoroethane</u> can be found on the following state criteria lists: MA and NJ. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: The primary components of this product are listed in Annex I of EU Directive 67/548/EEC. Isobutane: Flammable (F+). Risk Phrases (R): 12 - Extremely flammable. Safety Phrases (S): 2-6-16-53-45 - Keep out of reach of children. Keep cool store below 120 °F (48.8 °C). Keep away from sources of ignition - No smoking. Avoid exposure - obtain special instructions before use. In case of accident or if you fell unwell seek medical advice immediately. <u>Difluoroethane</u>: Extremely Flammable, Harmful (F+, Xi). <u>Risk Phrases</u> (R): R12-37-65-67 – Extremely flammable. Irritating to respiratory system. Harmful: may cause lung damage if swallowed. Vapors may cause drowsiness or dizziness. <u>Safety Phrases</u> (S): S2-7-9-16-24/25-26-33-45-53 - Keep out of the reach of children. Keep container tightly closed. Keep container in a well-ventilated place. Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Take precautionary measures against static discharges. In case of accident or if you feel unwell seek medical advice immediately (show the label where possible). Avoid exposure - obtain special instructions before use. 16. OTHER INFORMATION WARNING! PRESSURIZED CONTAINER: MAY BURST IF HEATED. CAUSES EYE IRRITATION. Use only as Other Information: directed. Avoid breathing vapor. Wash thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN. Terms & Definitions: 16.2 See last page of this Safety Data Sheet. Disclaimer This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & White Sands Hair Čare's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. 16.4 Prepared for: White Sands Hair Care, Inc. 27631 La Paz Rd, Suite G Laguna, CA 92677 USA Tel: +1 (949) 206-1300 White Sands Fax: +1 (949) 206-1313 16.5 Prepared by: ShipMate, Inc.

P.O. Box 787

Sisters, Oregon 97759-0787 USA

Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 WS-004

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/9/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. | Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:				
ACGIH	American Conference on Governmental Industrial Hygienists			
С	Ceiling Limit			
ES	Exposure Standard (Australia)			
IDLH	mmediately Dangerous to Life and Health			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit			
STEL	Short-Term Exposure Limit			
TLV	Threshold Limit Value			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:


0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

TWA Time Weighted Average

HEALTH
FLAMMABILITY
PHYSICAL HAZARDS
PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

Α		
В	(EL)	
С		
D		
Ε		
F	(EL)	





Splash Goggles



















Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:

ML	Maximum Limit
mg/m3	milligrams per cubic meter
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition	Minimum temperature required to initiate combustion in air with no other					
Temperature	source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					

HAZARD RATINGS:

0	Minimal Hazard		
1	Slight Hazard		
2 Moderate Hazard			
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
₩	Use No Water		
OX	Oxidizer		
TREFOIL	Radioactive		



TOXICOLOGICAL INFORMATION:

TOXICOLOGICAL INFO	ORWATION.				
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
	S				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{Io}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC _o , LC _{io} , & LC _o					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TL _m	Median threshold limit				
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	((A)		\odot	®	(A)	R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

13			*			×	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environ- ment