

Γ

SAFETY DATA SHEET

Page 1 of 6 **WS-006**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

	1. PRODUCT & COMPANY IDENTIFICATION													
		1.	PRODUC		PANY	IDE	NTIF	ICA	TIOI	N				
1.1 Product Name: WHITE SANDS ER FUSION														
1.2	Chemical Name:	Mixture												
1.3	Synonyms:	NA												
1.4	Trade Names:	Nhite Sands I	ER Fusion											
1.5	Product Uses & Restrictions: (Cosmetic Use	Only											
1.6	Distributor's Name:	White Sands I	Hair Care, Inc.											
1.7	Distributor's Address: 2	27631 La Paz	Rd. Ste G, Lag	guna, CA 926 [.]	77 USA									
1.8	Emergency Phone:	CHEMTRE	C: +1 (703)	527-3887	′ +1 (800) 424	-9300)						
1.9			1300 / +1 (949)											
				ZARDS		-	_							
2.1	a V L F	According to the WARNING! C Classification: Hazard Stater Precautionary EYES: Remove	is NOT classif ne classification AUSES EYE II _ Eye Irrit. 2 <u>nents</u> (H): H32 <u>Statements</u> (F ve contact lens sts: Get medica	n criteria of NG RRITATION. 0 – Causes ey 2): P264 – Wa es, if present	DHSC: 108 ve irritation ash thoroug and easy	88 (200 ghly aft	14) and ter han	ADG	Code (P305-	(Austra +P351	ılia). +P338	3 – IF I	N	
		3. CC	MPOSITI	ON & IN	GREDI	ENT	INF	ORN					. 3:	
						AC	GIH		EXPO: NOHSC		MITS IN	I AIR (mg OSHA	g/m³)	
							om		ppm			ppm		
								ES-	ES-	ES-				
CHEMI	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
AQUA	(WATER/EAU)	7732-18-5	ZC0110000	231-791-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
		36653-82-4	MM0225000	253-149-0	NA	NA	NA	NF	NF	NF	NA	NA	NA	
CETYL ALCOHOL				200 110 0										
EMULSIFYING WAX		NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
BEHENTRIMONIUM		81646-13-1	NA	279-791-1	NA	NA	NA	NF	NF	NF	NA	NA	NA	
METHOSULFATE			-											
CETEARYL ALCOHOL		8005-44-5	NA	267-008-6	NA	NA	NA	NF	NF	NF	NA	NA	NA	
		9048-46-8	NA	232-936-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
SERUM ALBUMIN				1.1.0										
DISTILLED VINEGAR		NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
GLYCINE SOYA (SOYBEAN) OIL		8001-22-7	WG4862000	232-274-4	NA	NA	NA	NF	NF	NF	NA	NA	NA	
		91080-17-0	NA	293-508-9	NA	NA	NA	NF	NF	NF	NA	NA	NA	
LUTE	UM OVI (EGG YOLK)	56-81-5	MA8050000	200-289-5	NA	10	NA	NF	NF	NF	15	NA	NA	RESP FRAC
GLYCERIN		30-01-3	WA8030000	200-209-3	INA	10	INA				15	IN/A	INA	RESFIRAC
TRIMETHYLSILYLAMODIMETHICO NE		NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
DICETYLDIMONIUM CHLORIDE		1812-53-9	NA	217-325-0	NA	NA	NA	NF	NF	NF	NA	NA	NA	
TRICETYLMONIUM CHLORIDE		NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
DIMETHICONE		9016-00-6	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
		57 00 0	ΝΑ	200 214 2	NA	NA	NA	NF	NF	NF	NIA	NIA	NIA	
CETRIMONIUM BROMIDE		57-09-0	NA	200-311-3		NA	NA	INF	INF	INF	NA	NA	NA	
CITRU	JS LIMON (LEMON) EXTRACT	92346-89-9	NA	296-174-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
	OLYZED CORN STARCH N SYRUP)	8029-43-4	NA	232-436-4	NA	NA	NA	NF	NF	NF	NA	NA	NA	
-	IUM DISODIUM EDTA	62-3-9	NA	200-529-9	NA	NA	NA	NF	NF	NF	NA	NA	NA	
WHEA	AT AMINO ACIDS	NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	



Page 2 of 6 **WS-006**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

						EXPOSURE LIMITS IN AIR (mg/m ³)				- CO			g/m³)	
							GIH		NOHSC			OSHA		
						p	om	ES-	ppm ES-	ES-		ppm		
CHEM	ICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
PROF	YLENE GLYCOL	57-55-6	TY2000000	200-338-0	NA	NA	NA	150	474	NF	NA	NA	NA	
PHEN	IOXYETHANOL	122-99-6	KM0350000	204-589-7	NA	NA	NA	NF	NF	NF	NA	NA	NA	
MET⊦	IYLPARABEN	99-76-3	DH2450000	202-785-7	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PROPYLPARABEN		94-13-3	DH2800000	202-307-7	NA	NA	NA	NF	NF	NF	NA	NA	NA	
BUTY	LPARABEN	94-26-8	DH1980000	202-318-7	NA	NA	NA	NF	NF	NF	NA	NA	NA	
ETHYLPARABEN		120-47-8	NA	204-399-4	NA	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (PARFUM)		NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
1010														
			4.	FIRST A		SU	RES							
4.1	First Aid:	Ingestion:		-			-	has h	neen s	wallow	ved d	lrink n	lentv	of water or m
		IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or m unconscious person. Contact the nearest Poison Control Center or local emergency number. Pre- estimate of the time at which the material was ingested and the amount of the substance to swallowed.					nber. Provide ostance that w							
		<u>Eyes</u> :	for at least 15							h with	сорю	us amo	ounts o	f lukewarm wa
		<u>Skin</u> :	If irritation occ	urs and produ	ct is on the	e skin,	rinse t	horoug	hly wi					
			washing of th physician imm		a with so	ap and	d wate	r. It II	ritatioi	n, redr	ness o	or swel	ling pe	ersists, contac
		Inhalation:	Remove victin	n to fresh air a										
4.2	Effects of Exposure:	Ingestion: Eyes: Skin:	If product is sy Moderately irr watering. May be irritati	tating to the e	eyes. Syn	nptoms	of ov	erexpo	sure r	nay in				-
			some sensitive	e individuals.								.,	,	,
4.3	Symptoms of Overexposure:	Inhalation:	None expecte		s itching	and w	otoring	Tho	produ	let cor	0000		aio cki	n roactions (a
		Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g. rashes, welts, dermatitis) in some sensitive individuals.												
4.4	Acute Health Effects:	Moderate irritation to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and waterin Moderate irritation to skin near affected areas.												
4.5	Chronic Health Effects:	No harmful or chronic health effects are expected to occur from a single accidental ingestion.												
4.6 4.7	Target Organs: dical Conditions Aggravated by		Respiratory Syst dermatitis, othe		ons. and	disord	ers of	the	HEAL	тн				1
	osure:		s (eyes, skin, an			alcora	010 01		FLAM		ILITY			0
								_				ARDS	;	0
									PROT	ECTI	VE E	QUIPI	MENT	
									EYES		SKIN			
	1	1		REFIGHT										
5.1	Fire & Explosion Hazards:	This produc decompositi smoke.	t is non-flamma on products suc	ble. When e h as oxides o	xposed to of carbon	high (e.g., (tempe CO, C	ratures O ₂) an	s, may d nitro	produ ogen (uce ha e.g., N	izardo IO _x) ai	us nd	
5.2	Extinguishing Methods:	CO ₂ , Halon	(if permitted), Dr	y Chemical, F	bam, as ai	uthorize	ed.							
5.3	Firefighting Procedures:	demand) an spray to coo fire control o Firefighters	fire, wear MSH d full protective of fire-exposed sup or dilution from e must use full bu opparatus to prote	gear. Keep urfaces and to ntering sewers inker gear incl	containers protect pe s, drains, c uding NIC	cool u ersonal Irinking SH-ap	intil we . Figh g water proved	ell after t fire u r suppl d posit	r the fi pwind. y, or a ive pre	re is c Prev ny nat essure	out. Ü: ent rur ural w self-c	se wat noff fro aterwa ontaine	er m ıy. ed	



Page 3 of 6 **WS-006**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/9/2015 6. ACCIDENTAL RELEASE MEASURES 61 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Keep incompatible materials (e.g., organics such as oil) away from spill. For small spills (e.g., < 1 gallon (3.8 L)) or large spills (e.g., ≥ 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 7.3 Special Precautions 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: ACGIH NOHSC OSHA OTHER ppm (mg/m³) ES-TWA ES-STEL CHEMICAL NAME(S) TLV STEL ES-PEAK PEL STEL IDLH GLYCERIN NF RESP FRAC 10 NA NF NF 15 NA NA PROPYLENE GLYCOL NA NA 150 474 NF NA NA NA Ventilation & Engineering 82 When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure Controls: that an eyewash station, sink or washbasin is available in case of exposure to eyes 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. AVOID EYE CONTACT DUE TO IRRITATION POTENTIAL. Wear protective eyewear (e.g., 8.4 Eye Protection: safety glasses with side-shield) at all times when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. Always use protective evewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. lf necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Clear colorless viscous liquid 9.1 Odor: 9.2 Fresh characteristic odor Odor Threshold: 9.3 NA 9.4 pH: NA Melting Point/Freezing Point: 9.5 NA Initial Boiling Point/Boiling 9.6 NA Range: 97 Flashpoint: NA 9.8 Upper/Lower Flammability NA Limits: Vapor Pressure: 9.9 NA 9.10 Vapor Density: NA 9.11 Relative Density: NA Solubility: 9.12 Soluble in water Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature: NA Decomposition Temperature: 9.15 NA 9.16 Viscosity: NA 9 17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: This product is stable. Hazardous Decomposition 10.2 Oxides of carbon (CO, CO₂) and sulfur (SO₂). Products Will not occur. 10.3 Hazardous Polymerization: Conditions to Avoid Open flames, sparks and high heat. 10.4 Incompatible Substances: 10.5 None known.



Γ

SAFETY DATA SHEET

Page 4 of 6 **WS-006**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

11.1	Poutos of Entry	Inhalation: YFS Absorption: YFS Ingestion: YFS
11.1	Routes of Entry: Toxicity Data:	Inhalation: YES Absorption: YES Ingestion: YES This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components The components The components
11.2	TOXICITY Data.	of this product, which are found in the scientific literature.
11.3	Acute Toxicity:	See section 4.4
11.4	Chronic Toxicity:	See section 4.5
11.5	Suspected Carcinogen:	No.
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce reproductive toxicity in numaric.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	See Section 4.3.
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
-	,	
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There is no specific data available for this product.
12.3	Effects on Aquatic Life:	There is no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Dispose of in accordance with federal, state and local regulations.
13.2	Special Considerations:	NA
		14. TRANSPORTATION INFORMATION
The	basic description (ID Nun	nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additiona
14.1	49 CFR (GND):	e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.2	IATA (AIR):	
14.2	IMDG (OCN):	
14.3	TDGR (Canadian GND):	
14.4	ADR/RID (EU):	
14.5	SCT (MEXICO):	
14.0	ADGR (AUS):	NOT REGULATED
14.7	ADGR (A03).	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting	This product does not contains any substances subject to SARA Title III, section 313 reporting requirements
15.2	Requirements: SARA Threshold Planning	There are an efficient sharehold Diagring Quantities for the components of this and ut
13.2	Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity	NA
15.5	(RQ): Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter C (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).
15.7	State Regulatory Information:	<u>Glycerin</u> is listed on the following state criteria list: Massachusetts Hazardous Substances List (MA), Minnesot Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA) and Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following stat criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardou Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi). <u>Risk Phrases (R)</u> : 36 – Irritating to eyes. <u>Safety Phrases (S)</u> : (2)-26 – Keep out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.



Page 5 of 6 **WS-006**

White Sands Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

		16. OTHER INFO	DRMATION
16.1	Other Information:		xternal use only. Use only as directed. Discontinue use immediately if rinse immediately with plenty of water and seek medical advice. Keep UT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	government regulations must be reviewed for app Care's knowledge, the information contained here or completeness is not guaranteed and no wal information contained herein relates only to the s	SHA's Hazard Communication Standard, 29 CFR §1910.1200. Other blicability to this product. To the best of ShipMate's & White Sands Hair ein is reliable and accurate as of this date; however, accuracy, suitability tranties of any type, either expressed or implied, are provided. The pecific product(s). If this product(s) is combined with other materials, all ta may be changed from time to time. Be sure to consult the latest
16.4	Prepared for:	White Sands Hair Care, Inc. 27631 La Paz Rd, Suite G Laguna, CA 92677 USA Tel: +1 (949) 206-1300 Fax: +1 (949) 206-1313	White Sands
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting



Page 6 of 6 WS-006

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 11/9/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

	EXFOSORE LIMITS IN AIR.					
ACGIH	American Conference on Governmental Industrial Hygienists					
С	Ceiling Limit					
ES	Exposure Standard (Australia)					
IDLH	Immediately Dangerous to Life and Health					
OSHA	U.S. Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit					
STEL	Short-Term Exposure Limit					
TLV	Threshold Limit Value					
TWA	Time Weighted Average					

FIRST AID MEASURES:

and provide oxygen to the body		Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
--------------------------------	--	--

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

-	,	
0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α		G 🜍 🕥 😨
в		🕅 н 🚱 🚯 🚱
С		
D	B	
Е		() () (к () () () () () () () () () () () () ()
F		X Consult your supervisor or SOPs for special handling directions.
Sa	fety Glasse	es Splash Goggles Face Shield & Gloves
	Boots	Synthetic Apron
Full F	Face Respir	rator Dust & Vapor Half- Mask Respirator Respirator Or SCBA
отн	ER STAN	DARD ABBREVIATIONS:
	ML	Maximum Limit
	mg/m3	milligrams per cubic meter
	NA	Not Available
	ND	Not Determined


NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus
	DE DEOTEOTION ACCOUNTION, NEDA

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	TY LIMITS IN AIR:
Autoignition	Minimum temperature required to initiate combustion in air with no other
Temperature	source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will
	explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will
	explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive
TOXICOLO	GICAL INFORMATION:



LD30 Lethal Dose (solids & liquids) w PRECAUTIONS S Lethal concentration (gases) which kills 50% of the exposed animal ppm Concentration expressed in parts of material per million parts TD10 Lowest dose to cause a symptom TCL0 Lowest concentration to cause a symptom TD10, LD0, or LOWEST dose (or concentration) to cause lethal or toxic effects TC, TC0, LC0, & LC0 LOWEST dose (or concentration) to cause lethal or toxic effects TRC International Agency for Research on Cancer NTP National Toxicology Program RTECS Registry of Toxic Effects of Chemical Substances BCF Biconcentration Factor TLm Median threshold limit log K_{OW} or log K_{OC} Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
тс	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System
	CE HAZADOUS MATERIALS IDENTIFICATION (MUMIS) SYSTEM.

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	۲	٨		1			Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		×	¥		\$	×	×
С	E	F	N	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond	A		(!)		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment