

Page 1 of 5 **WS-007**

White Sands Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

		1.	PRODUC	T & CON	IPANY	IDE			TIO	N				
1.1	Product Name:													
1.2	Chemical Name:	Aqueous solut												
1.3	Synonyms:	NA												
1.4	Trade Names:	White Sands	The Cure 24/7	,										
1.5	Product Uses & Restrictions:	Cosmetic Use	Only											
1.6	Distributor's Name:	White Sands I	Hair Care, Inc.											
1.7	Distributor's Address:	27631 La Paz	Rd. Ste G, La	aguna, CA 926	77 USA									
1.8	Emergency Phone:	CHEMTRE	C: +1 (703)) 527-3887 /	/ +1 (80	0) 424	-930	0						
1.9	Business Phone / Fax:	+1 (949) 206-	1300 / +1 (949	9) 206-1313										
			2 4	AZARDS			ΛΤΙΛ							
2.1	Hazard Identification:	according to th WARNING! C Classification: Hazard Stater Precautionary EYES: Remov	is NOT class he classificatio AUSES EYE _ Eye Irrit. 2 <u>nents</u> (H): H3: <u>Statements</u> (ve contact len	ified as a HA	ZARDOUS OHSC: 10 ye irritation ash thorou and easy	5 SUB 88 (200 n. ighly af	STANC 04) and ter har	E or ADG	Code P305	(Austra +P351	alia). +P338	8 – IF	IN	
		3 00	MDOSIT	ION & IN					//T					
		3. 00			GRED							AIR (m	a/m ³)	
						AC	GIH		NOHSC			OSHA	g/m)	
						р	pm		ppm			ppm		
СНЕМ	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
	• •	7732-18-5	ZC0110000	231-791-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	OTTIER
DEIO	NIZED AQUA (WATER/EAU)													
POLY	QUATERNIUM-28	131954-48-8	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
PVM/I	MA COPOLYMER	9011-16-9	NA	na	NA	NA	NA	NF	NF	NF	NA	NA	NA	
XANT	HAN GUM	11138-66-2	NA	234-394-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
	YLIC/CAPRIC	65381-09-1	NA	265-724-3	NA	NA	NA	NF	NF	NF	NA	NA	NA	
	BIDIUM GRANDIFLORUM HID) FLOWER EXTRACT	NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
	PYLENE GLYCOL	57-55-6	TY2000000	200-338-0	NA	NA	NA	150	474	NF	NA	NA	NA	
DIAZO	DLIDINYL UREA	78491-02-8	NA	278-928-2	NA	NA	NA	NF	NF	NF	NA	NA	NA	
	PROPYNYL L-CARBAMATE	55406-53-6	Na	259-627-5	NA	NA	NA	NF	NF	NF	NA	NA	NA	
-	RANCE (PARFUM)	NA	NA	NA	NA	NA	NA	NF	NF	NF	NA	NA	NA	
			4.	FIRST A	ID ME	ASUI	RES							
4.1	First Aid:	<u>Eyes</u> : <u>Skin</u> :	IMMEDIATEL unconscious estimate of t swallowed. Splashes are for at least 15 If irritation occ washing of th physician imm	Y. If the patie person. Conta he time at wh not likely; how i minutes. If irr curs and produ he affected are	ent is vom act the nea nich the n rever, if pro itation occ act is on th ea with sc	iting, co arest Po naterial oduct g curs, co ie skin,	ontinue bison (was ets in t ntact a rinse t	e to off Control ingeste the eye he eye horoug	er wat Cente ed and es, flus cian. ghly wi	er or n er or lo d the a h with th luke	nilk. 1 cal en amour copior	Never nergen nt of th us amo water,	give wa cy nun ne sub punts o follow	of water or milk ater or milk to an nber. Provide an sstance that was of lukewarm water red by a thorough ersists, contact a



Page 2 of 5 **WS-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0 SI

		4. FI	RST AID ME	ASURI	ES – co	ont'd					
4.2	Effects of Exposure:	Eyes: Moderately watering.	swallowed, may ca irritating to the eye ating to skin. The	es. Symp	toms of ov	/erexposur	e may	include			
		some sensi	tive individuals.			Ū.					,
4.3	Symptoms of Overexposure:	Overexposure in eyes ma	<u>nhalation</u> : None expected. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., ashes, welts, dermatitis) in some sensitive individuals.								
4.4	Acute Health Effects:	Moderate irritation to eye Moderate irritation to skin	s. Symptoms of c	overexposu		clude redr	iess, ito	ching, sti	inging, i	rritation an	id watering.
4.5	Chronic Health Effects:	No harmful or chronic hea	alth effects are expe	ected to oc	cur from a	single acc	idental	ingestio	n.		
4.6	Target Organs:	Eyes, Skin, Respiratory S	/								
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, c target organs (eyes, skin,			sorders of		<mark>ALTH</mark> AMMA	BILITY			1 0
								L HAZ			0
						PR	OTEC	TIVE E		ENT	B
						EYI	ES	SKIN			
		E									
			FIREFIGHTI								
5.1	Fire & Explosion Hazards:	This product is non-flam decomposition products s smoke.									
5.2	Extinguishing Methods:	CO ₂ , Halon (if permitted),									0
5.3	Firefighting Procedures:	As in any fire, wear M demand) and full protecti spray to cool fire-exposed fire control or dilution from Firefighters must use full breathing apparatus to pr and oxygen deficiencies.	ve gear. Keep co I surfaces and to p n entering sewers, bunker gear includ	ntainers c rotect pers drains, drin ding NIOS	ool until w onal. Figh nking wate H-approve	ell after the nt fire upwi er supply, c ed positive	e fire is nd. Pre or any n pressu	out. Üs event rur atural w re self-c	se wate hoff from aterway ontained		0
		6 ACCI	DENTAL RE	FAS		SURES	5				
6.1	Spills:	Before cleaning any spi Equipment (PPE). Keep i For <u>small spills</u> (e.g., < 1 equipment (e.g., goggles absorbent material and p local, state and federal n soap. Remove any conta municipal sewers and ope	II or leak, individu incompatible mater I gallon (3.8 L)) or s, gloves). Maxim lace into appropria egulations. Wash aminated clothing a	ials involv ials (e.g., c large spil nize ventila te closed all affecte	ed in spill organics su lls (e.g., \geq ation (ope container(s d areas a	l cleanup uch as oil) 1 gallon (n doors a s) for dispo nd outside	must v away fro (3.8 L)) nd wino osal. D osal. D	om spill. wear ap dows). I ispose o tainer w	opropria Remove of prope ith plen	te persona spilled m rly in acco ty of warm	al protective naterial with rdance with n water and
		7. HANDI	LING & STO	<u>RAGE</u>	INFOR	MATIC)N				
7.1	Work & Hygiene Practices:	Do not eat, drink, or smok	0								
7.2	Storage & Handling:	Use and store in a cool, heat and open flames.	-						. Keep	away from	n excessive
7.3	Special Precautions:	Spilled material may pres	ent a slipping hazai	rd if left un	attended.	Clean all s	spills pro	omptly.			
		8. EXPOSURE C	CONTROLS	& PER	SONAI		TECT	ION			
8.1	Exposure Limits:		ACGIH		NOHSC	r		OSHA	r	OTHER	
	ppm (mg/m ³)	CHEMICAL NAME(S)	TLV STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH		
8.2	Ventilation & Engineering Controls:	PROPYLENE GLYCOL When working with large that an eyewash station, s							NA aust ver	tilation, far	ns). Ensure
8.3	Respiratory Protection:	No special respiratory pr necessary, use only resp §1910.134, or applicable provinces, E.C. member s	otection is require piratory protection a U.S. state regul	d under ty authorized	/pical circu d per U.S.	umstances OSHA's	of use requirer	or han ment in	29 CFF	2	
8.4	Eye Protection:	AVOID EYE CONTACT safety glasses with side-s of this product. Always us a special hazard; soft lens	DUE TO IRRITA shield) at all times we se protective eyewe	when hand ear when d	lling large cleaning sp	quantities oills or leak	(e.g., ≥	1 gallon	(3.8 L)		



Page 3 of 5 **WS-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0 SD

Prepa	ared to USHA, ACC, ANSI, N	IDHSC, WHMIS, 2007/58 & 12/2/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 11/9/2015
	0	EVENSUE CONTROLS & DEDSONAL PROTECTION contid
		EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd
8.5	Hand Protection:	If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states.
8.6	Body Protection:	No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	
9.2	Odor:	Fresh characteristic odor
9.3	Odor Threshold:	NA
9.4	pH:	NA
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	NA
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	NA
9.11	Relative Density:	NA
9.12	Solubility:	Soluble in water
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA
		10. STABILITY & REACTIVITY
10.1	Stability:	This product is stable.
10.1	Hazardous Decomposition	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂).
10.0	Products:	Will not occur.
10.3 10.4	Hazardous Polymerization: Conditions to Avoid:	Open flames, sparks and high heat.
10.5	Incompatible Substances:	None known.
	1	11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature.
11.3	Acute Toxicity:	See section 4.4
11.4	,	See section 4.5
11.5	Suspected Carcinogen:	No.
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity: Teratogenicity:	This product is not reported to produce embryotoxic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	
11.7	Biological Exposure Indices:	See Section 4.3.
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There is no specific data available for this product.
12.2	Effects on Plants & Animals:	There is no specific data available for this product.
12.3	Effects on Aquatic Life:	There is no specific data available for this product.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	13. DISPOSAL CONSIDERATIONS Dispose of in accordance with federal, state and local regulations.
13.1 13.2	Waste Disposal: Special Considerations:	Dispose of in accordance with federal, state and local regulations. NA



Page 4 of 5 **WS-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

		14. TRANSPORTATION INFORMATION	
		nber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additio e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	onal
14.1	49 CFR (GND):	NOT REGULATED	
14.2	IATA (AIR):	NOT REGULATED	
14.3	IMDG (OCN):	NOT REGULATED	
14.4	TDGR (Canadian GND):	NOT REGULATED	
14.5	ADR/RID (EU):	NOT REGULATED	
14.6	SCT (MEXICO):	NOT REGULATED	
14.7	ADGR (AUS):	NOT REGULATED	
	//2 OTT (/ 100).	NOTREGULATED	
		15. REGULATORY INFORMATION	
15.1	SARA Reporting Requirements:	This product does not contains any substances subject to SARA Title III, section 313 reporting requirements	
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.	
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity (RQ):	NA	
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapte (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants un the CWA.	t are
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects).	
		<u>Glycerin</u> is listed on the following state criteria list: Massachusetts Hazardous Substances List (MA), Minne Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA) and Washington Permissible Exposures (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following s criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substance List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylv Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).	s List state nces dous
15.8	Other Requirements:	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC: Irritant (Xi). <u>Risk Phrases (R): 36 – Irritating to eyes</u> . <u>Safety Phrases (S): (2)-26 – Keep out of reach</u> of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.	
		16. OTHER INFORMATION	
16.1	Other Information:		- 1 - 10
10.1	Other miormation.	WARNING! CAUSES EYE IRRITATION. For external use only. Use only as directed. Discontinue use immediated irritation develops. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. K container tightly closed when not in use. KEEP OUT OF REACH OF CHILDREN.	
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. O government regulations must be reviewed for applicability to this product. To the best of ShipMate's & White Sands Care's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suital or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. information contained herein relates only to the specific product(s). If this product(s) is combined with other materials component properties must be considered. Data may be changed from time to time. Be sure to consult the la edition.	Hair bility The s, all
16.4	Prepared for:	White Sands Hair Care, Inc. 27631 La Paz Rd, Suite G Laguna, CA 92677 USA Tel: +1 (949) 206-1300 Fax: +1 (949) 206-1313	
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	



Page 5 of 5 **WS-007**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 11/9/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
C	Ceiling Limit
ES	Exposure Standard (Australia)
IDLH	Immediately Dangerous to Life and Health
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short-Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average
TWA	Time Weighted Average

FIRST AID MEASURES:

Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood
and provide oxygen to the body.

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

-	,	
0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α			G			
в			н			3
С			I			
D	B		J			3
Е			K	F		
F			X		our supervisor or SOF andling directions.	Ps foi
Sa	fety Glasse	es Splash Goggles		ce Shield & ctive Eyewe	ar Gloves	
	Boots	Synthetic Apron		ctive Clothin Full Suit	ng Dust Respirate	or
Full F	Face Respi	rator Dust & Vapor Half- Mask Respirator		Full Face espirator	Airline Hood/Ma or SCBA	ask
отн	ER STAN	DARD ABBREVIATION	S:			
	ML	Maximum Limit				
	mg/m3	milligrams per cubic meter				
	NA	Not Available				
		Mat Data make a d				

mg/m3	milligrams per cubic meter
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus
	DE DEOTECTION ASSOCIATION, NEDA

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:			
Autoignition	Minimum temperature required to initiate combustion in air with no other			
Temperature	source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will			
	explode or ignite in the presence of an ignition source			

HAZARD R	ATINGS:
0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive

TOXICOLOGICAL INFORMATION:



LD₅₀ Lethal Dose (solids & liquids) w PRECAUTIONS S L Lethal concentration (gases) which kills 50% of the exposed animal ppm Concentration expressed in parts of material per million parts TD₁₀ Lowest dose to cause a symptom TCLo Lowest dose to cause a symptom TD₁₀, LD₁₀, & LD₀ or Lowest dose (or concentration) to cause lethal or toxic effects TC, TC₀, LC₁₀, & LC₀ Lowest dose (or concentration) to cause lethal or toxic effects TC, TC₀, LC₁₀, & LC₀ Lowest dose (or concentration on Cancer NTP National Toxicology Program RTECS Registry of Toxic Effects of Chemical Substances BCF Bioconcentration Factor TL_m Median threshold limit log K_{ow} or log K_{oc} Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
тс	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System
	CE HAZADDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	۲	٨		1			Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		×	¥,	A	e X	×	×
С	E	F	N	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	$\langle \mathbf{x} \rangle$		\Diamond	A A A A A A A A A A A A A A A A A A A		\:		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment